


2021

PRICE LIST






Product	Specification	Unit	Qty.	Price (USD)
OBX-18-2541/120  	Eco OBX-18-2541/120 Mortise Rebated Door 3D Hinge ✓ Dimension (mm): 120(L) x 24(W) x 3(H) x Ø18 ✓ For door thickness (mm): 40-50 ✓ For door weight (kg): 160 ✓ For steel, aluminum & wooden door ✓ Material: stainless steel ✓ Finish: satin stainless steel ✓ Adjustable frame box ✓ Inner, firmly rotating axis ✓ Wear and maintenance-free ball bearing technology ✓ Perfectly closed hinge roll without cover head ✓ Suitable for fire doors ✓ Can be used DIN left/DIN right without modification ✓ EN 1935	pc	1	\$128.25
OBX-20-2541/160  	Eco OBX-20-2541/160 Mortise Rebated Door 3D Hinge ✓ Dimension (mm): 160(L) x 24(W) x 3.5(H) x Ø20 ✓ For door thickness (mm): 45-55 ✓ For door weight (kg): 300 ✓ For steel, aluminum & wooden door ✓ Material: stainless steel ✓ Finish: satin stainless steel ✓ Adjustable frame box ✓ Inner, firmly rotating axis ✓ Wear and maintenance-free ball bearing technology ✓ Perfectly closed hinge roll without cover head ✓ Suitable for fire doors ✓ Can be used DIN left/DIN right without modification ✓ EN 1935	pc	1	\$166.50

Product	Specification	Unit	Qty.	Price (USD)
System I 	Eco Dual-locking Device Sytem I ✓ Dimension (mm): 144(L) x 22(W) x 4.5(H) ✓ For door thickness (mm): 40-50 ✓ For steel & wooden door ✓ Material: steel ✓ Finish: satin	pc	1	\$507.00
MPB68 	McKinney MPB68 MacPro Hinge Five Knuckle Heavy Weight ✓ Dimension (mm): 114(L) x 114(W) x 3(H) ✓ For door thickness (mm): 40-50 ✓ For steel & wooden door ✓ Material: steel ✓ Finish: satin	pc	1	\$69.75
5BB1HW 	Ives 5BB1HW 5 Knuckle, Ball Bearing, Heavy Weight Full Mortise Hinge ✓ Dimension (mm): 127(L) x 114(W) x 3(H) ✓ For door thickness (mm): 40-50 ✓ For steel & wooden door ✓ Material: steel ✓ Finish: satin stainless steel	pc	1	\$63.00
5BB1HW 	Ives 5BB1HW 5 Knuckle, Ball Bearing, Heavy Weight Full Mortise Hinge ✓ Dimension (mm): 127(L) x 114(W) x 3(H) ✓ For door thickness (mm): 40-50 ✓ For steel & wooden door ✓ Material: steel ✓ Finish: black	pc	1	\$133.50

Product	Specification	Unit	Qty.	Price (USD)
5BB1HW 	Ives 5BB1HW 5 Knuckle, Ball Bearing, Heavy Weight Full Mortise Hinge ✓ Dimension (mm): 127(L) x 114(W) x 3(H) ✓ For door thickness (mm): 40-50 ✓ For steel & wooden door ✓ Material: steel ✓ Finish: brass	pc	1	\$142.50
100 Series 	Lockwood 100 series Architectural Hinges ✓ Dimension (mm): 102(L) x 76(W) x 2.5(H) ✓ For door thickness (mm): 40-50 ✓ For steel & wooden door ✓ Material: steel ✓ Finish: satin stainless steel	pc	1	\$15.00
100 Series 	Lockwood 100 series Architectural Hinges ✓ Dimension (mm): 102(L) x 105(W) x 2.5(H) ✓ For door thickness (mm): 40-50 ✓ For steel & wooden door ✓ Material: steel ✓ Finish: satin stainless steel	pc	1	\$25.20
SH005-2BB 	TEXXON SH005-2BB Butterfly Hinge ✓ Dimension (mm): 102(L) x 76(W) x 3(H) x Φ14 ✓ For door thickness (mm): 36-40 ✓ For steel & wooden door ✓ 3 pieces for door weight (kg): 60-80 ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$6.98

Product	Specification	Unit	Qty.	Price (USD)
SH006-2BB 	TEXXON SH006-2BB Butterfly Hinge ✓ Dimension (mm): 127(L) x 89(W) x 3(H) x Φ14 ✓ For door thickness (mm): 40-50 ✓ For steel & wooden door ✓ 3 pieces for door weight (kg): 60-80 ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$7.35
SH006-4BB 	TEXXON SH006-4BB Butterfly Hinge ✓ Dimension (mm): 127(L) x 89(W) x 3(H) x Φ14 ✓ For door thickness (mm): 40-50 ✓ For steel & wooden door ✓ 3 pieces for door weight (kg): 60-80 ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$8.53
SH006-4BB 	TEXXON SH006-4BB Butterfly Hinge ✓ Dimension (mm): 127(L) x 89(W) x 3(H) x Φ14 ✓ For door thickness (mm): 40-50 ✓ For steel & wooden door ✓ 3 pieces for door weight (kg): 60-80 ✓ Material: brass ✓ Finish: satin brass	pc	1	\$20.47
SH022-FH 	TEXXON SH022-FH Hinge ✓ Dimension (mm): 102(L) x 76(W) x 2.5(H) x Φ12 ✓ For door thickness (mm): 36-40 ✓ For Aluminium door ✓ 3 pieces for door weight (kg): 40-60 ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$7.80

Product	Specification	Unit	Qty.	Price (USD)
SH022-FH 	TEXXON SH022-FH Hinge ✓ Dimension (mm): 100(L) x 100(W) x 2.5(H) x $\Phi 12$ ✓ For door thickness (mm): 36-40 ✓ For Aluminium door ✓ 3 pieces for door weight (kg): 40-60 ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$7.80
SH011-RH 	TEXXON SH011-RH Lift-off Rising Hinge ✓ Dimension (mm): 102(L) x 76(W) x 3(H) x $\Phi 14$ ✓ For door thickness (mm): 40-50 ✓ For steel & wooden door ✓ 3 pieces for door weight (kg): 60-80 ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$8.39
SH011-LH 	TEXXON SH011-LH Lift-off Rising Hinge ✓ Dimension (mm): 102(L) x 76(W) x 3(H) x $\Phi 14$ ✓ For door thickness (mm): 40-50 ✓ For steel & wooden door ✓ 3 pieces for door weight (kg): 60-80 ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$8.39
SH011-LH 	TEXXON SH011-LH Lift-off Rising Hinge ✓ Dimension (mm): 102(L) x 76(W) x 3(H) x $\Phi 14$ ✓ For door thickness (mm): 40-50 ✓ For steel & wooden door ✓ 3 pieces for door weight (kg): 60-80 ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$10.48

Product	Specification	Unit	Qty.	Price (USD)
ZA001 	TEXXON ZA001 Concealed Hinge ✓ Dimension (mm): 118(L) x 28(W) x 41(H) ✓ For door thickness (mm): 40-50 ✓ For wooden door ✓ 3 pieces for door weight (kg): 50 ✓ Material: zinc alloy ✓ Finish: satin stainless steel	pc	1	\$36.75
ZA001 	TEXXON ZA001 Concealed Hinge ✓ Dimension (mm): 118(L) x 28(W) x 41(H) ✓ For door thickness (mm): 40-50 ✓ For wooden door ✓ 3 pieces for door weight (kg): 50 ✓ Material: zinc alloy ✓ Finish: satin black	pc	1	\$56.25
ZA001 	TEXXON ZA001 Concealed Hinge ✓ Dimension (mm): 95(L) x 19(W) x 27(H) ✓ For door thickness (mm): 25-30 ✓ For wooden door ✓ 3 pieces for door weight (kg): 30 ✓ Material: zinc alloy ✓ Finish: satin stainless steel	pc	1	\$14.24
ZA001 	TEXXON ZA001 Concealed Hinge ✓ Dimension (mm): 45(L) x 13(W) x 18(H) ✓ For door thickness (mm): 15-20 ✓ For wooden door ✓ 3 pieces for door weight (kg): 5 ✓ Material: zinc alloy ✓ Finish: satin stainless steel	pc	1	\$12.00

Product	Specification	Unit	Qty.	Price (USD)
ZA003 	TEXXON ZA003 Adjustable Concealed Hinge ✓ Dimension (mm): 160(L) x 29(W) x 19(H) ✓ For door thickness (mm): 40-50 ✓ For wooden door ✓ 3 pieces for door weight (kg): 80 - 100 ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$111.75
SH029 	TEXXON SH029 Double Action Hinge ✓ Dimension (mm): 150(L) x 45(W) x 3(H) x Φ23 ✓ For door thickness (mm): 40-50 ✓ For steel, aluminum & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$38.25
#148 	TEXXON #148 Auto Flush Bolt ✓ Dimension (mm): 300(L) x 20(W) ✓ For steel & aluminium door ✓ Material: front face SUS304 ✓ Finish: satin stainless steel	pc	1	\$102.00
#149 	TEXXON #149 Auto Flush Bolt ✓ Dimension (mm): 160(L) x 20(W) ✓ For wooden door ✓ Material: front face SUS304 ✓ Finish: satin stainless steel	pc	1	\$102.00

Product	Specification	Unit	Qty.	Price (USD)
BA006 	TEXXON BA006 Flush Bolt ✓ Dimension (mm): 300(L) x 20(W) ✓ For wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$8.44
BA006 	TEXXON BA006 Flush Bolt ✓ Dimension (mm): 300(L) x 20(W) ✓ For wooden door ✓ Material: SUS304 ✓ Finish: satin brass	pc	1	\$14.25
BA006 	TEXXON BA006 Flush Bolt ✓ Dimension (mm): 300(L) x 20(W) ✓ For wooden door ✓ Material: SUS304 ✓ Finish: satin black	pc	1	\$14.63
BA008 	TEXXON BA008 Flush Bolt ✓ Dimension (mm): 300(L) x 20(W) ✓ For steel & aluminium door ✓ Material: front face SUS304 ✓ Finish: satin stainless steel	pc	1	\$11.93

Product	Specification	Unit	Qty.	Price (USD)
GP001 	TEXXON GP001 Dust Proof Socket ✓ Dimension (mm): 39(L) x 25(W) x Φ13 ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$4.80
GP001 	TEXXON GP001 Dust Proof Socket ✓ Dimension (mm): 39(L) x 25(W) x Φ13 ✓ Material: SUS304 ✓ Finish: satin brass	pc	1	\$6.83
GP002 	TEXXON GP002 Dust Proof Socket ✓ Dimension (mm): 39(L) x 25(W) x Φ13 ✓ Material: SUS304 ✓ Finish: satin black	pc	1	\$7.46
GP003 	TEXXON GP003 Dust Proof Socket ✓ Dimension (mm): 39(L) x 25(W) x Φ13 ✓ Material: SUS304 ✓ Finish: satin black	pc	1	\$7.46

Product	Specification	Unit	Qty.	Price (USD)
CD 43 G B     	Colombo Bocchette Tonde CD 43 G B Escutcheon ✓ Dimension (mm): 50(L) x 10(H) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: oroplus ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pc	1	\$25.07
CD 73 B S     	Colombo Bocchette Strette CD 73 B S Narrow Escutcheon ✓ Dimension (mm): 61(L) x 28(W) x 7(H) ✓ For aluminium door ✓ Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pc	1	\$25.07
CD 1003     	Colombo Bocchette Tonde CD 1003 Escutcheon ✓ Dimension (mm): 45(L) x 11(H) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: oroplus ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pc	1	\$20.00
M101 	TEXXON M101 Escutcheon ✓ Dimension (mm): 33(L) x 8(H) x Φ53 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin black	pc	1	\$6.00

Product	Specification	Unit	Qty.	Price (USD)
M101 	TEXXON M101 Escutcheon ✓ Dimension (mm): 33(L) x 8(H) x Φ53 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$2.55
M102 	TEXXON M102 Oval Escutcheon ✓ Dimension (mm): 33(L) x 8(H) x Φ53 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$2.55
M204 	TEXXON M204 Narrow Escutcheon ✓ Dimension (mm): 71(L) x 32.5(W) x 8(H) ✓ For aluminium door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$2.55
GF002 	TEXXON GF002 Door View ✓ Dimension (mm): Φ28 ✓ For door thickness (mm): 25 ✓ Degree: 180° ✓ For wooden door ✓ Material: brass ✓ Finish: black	pc	1	\$12.30

Product	Specification	Unit	Qty.	Price (USD)
GF002 	TEXXON GF002 Door View ✓ Dimension (mm): Φ28 ✓ For door thickness (mm): 25 ✓ Degree: 160° ✓ For wooden door ✓ Material: brass ✓ Finish: chrome plated	pc	1	\$8.25
GF003 	TEXXON GF003 Door View ✓ Dimension (mm): Φ16 ✓ For door thickness (mm): 45 ✓ Degree: 160° ✓ For wooden door ✓ Material: brass ✓ Finish: chrome plated	pc	1	\$8.25
GF005 	TEXXON GF005 Door View ✓ Dimension (mm): Φ28 ✓ For door thickness (mm): 45 ✓ Degree: 180° ✓ For wooden door ✓ Material: brass ✓ Finish: chrome plated	pc	1	\$8.25
GF005 	TEXXON GF005 Door View ✓ Dimension (mm): Φ28 ✓ For door thickness (mm): 45 ✓ Degree: 180° ✓ For wooden door ✓ Material: brass ✓ Finish: brass	pc	1	\$9.75

Product	Specification	Unit	Qty.	Price (USD)
GD001 	TEXXON GD001 Door Guard ✓ Dimension (mm): 107(L) x 63(W) ✓ For steel & wooden door ✓ Material: zinc alloy ✓ Finish: satin chrome	pc	1	\$8.48
GS004 	TEXXON GS004 Concealed Door Chain ✓ Dimension (mm): 92(L) x 57(W) ✓ For steel & wooden door ✓ Material: front face SUS304 ✓ Finish: chrome plated	pc	1	\$14.47
GS004 	TEXXON GS004 Concealed Door Chain ✓ Dimension (mm): 92(L) x 57(W) ✓ For steel & wooden door ✓ Material: front face brass ✓ Finish: brass	pc	1	\$16.33
GS004 	TEXXON GS004 Concealed Door Chain ✓ Dimension (mm): 92(L) x 57(W) ✓ For steel & wooden door ✓ Material: front face black ✓ Finish: black	pc	1	\$16.50

Product	Specification	Unit	Qty.	Price (USD)
GS005 	TEXXON GS005 Door Guard ✓ Dimension (mm): 70(L) x 56(W) x 28(H) ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$24.00
GS005 	TEXXON GS005 Door Guard ✓ Dimension (mm): 70(L) x 56(W) x 28(H) ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin black	pc	1	\$26.25
GH001 	TEXXON GH001 Cup Handle ✓ Dimension (mm): 76(L) x 12(W) ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$9.45
LL004 	TEXXON LL004 Rack Bolt Lock ✓ Dimension (mm): 47(L) x 25.5(W) x 63.5(H) ✓ For steel & wooden door ✓ Material: steel ✓ Finish: front face satin	set	1	\$9.00

Product	Specification	Unit	Qty.	Price (USD)
BC003 	TEXXON BC003 Ball Catch ✓ Dimension (mm): 54(L) x 35(W) x 39(H) ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	set	1	\$7.05
WPF-26 + WPF-27 	TEXXON WPF-26 + WPF-27 Indicator Bolt ✓ Dimension (mm): 53(L) x 10(W) ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	set	1	\$8.55
FF 19 BZG     	Colombo Nottolini FF 19 BZG Indicator Bolt ✓ Dimension (mm): 50(L) x 30.5(W) ✓ Type: round ✓ For steel & wooden door ✓ Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	set	1	\$90.15
PT 19 BZG     	Colombo Nottolini PT 19 BZG Indicator Bolt ✓ Dimension (mm): 52(L) x 35(W) ✓ Type: square ✓ For steel & wooden door ✓ Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	set	1	\$112.15

Product	Specification	Unit	Qty.	Price (USD)
CD 69 BZG G     	Colombo Nottolini CD 69 BZG G Indicator Bolt ✓ Dimension (mm): 50(L) x 35(W) Type: round For steel & wooden door Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	set	1	\$78.60
CD 79 BZG     	Colombo Nottolini CD 79 BZG Indicator Bol ✓ Dimension (mm): 45(L) x 36(W) ✓ Type: round ✓ For steel & wooden door ✓ Material: brass ✓ Finish: oroplus ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pc	1	\$92.40
CD 511     	Colombo Misura Fresata CD 511 Flush Pull ✓ Dimension (mm): 134(L) x 35(W) x 13(H) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pc	1	\$82.30
KLU111     	Colombo Louis XVI KLU111 Flush Pull ✓ Dimension (mm): 178(L) x 35(W) x 6(H) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: bronze ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pc	1	\$158.85

Product	Specification	Unit	Qty.	Price (USD)
HFC001 	TEXXON FH-08 Flush Pull ✓ Dimension (mm): 120(L) x 40(W) x 12(H) ✓ For steel & aluminium door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$6.75
HFC001 	TEXXON HFC001 Flush Pull ✓ Dimension (mm): 120(L) x 40(W) x 12(H) ✓ For steel & aluminium door ✓ Material: SUS304 ✓ Finish: satin brass	pc	1	\$7.50
FH-08 	TEXXON FH-08 Flush Pull ✓ Dimension (mm): 150(L) x 50(W) x 13(H) ✓ For wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$8.25
FH-09 	TEXXON FH-09 Flush Pull ✓ Dimension (mm): 150(L) x 50(W) x 13(H) ✓ For wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$8.25

Product	Specification	Unit	Qty.	Price (USD)
FH-09 	TEXXON FH-09 Flush Pull ✓ Dimension (mm): 150(L) x 50(W) x 13(H) ✓ For wooden door ✓ Material: SUS304 ✓ Finish: satin black	pc	1	\$10.20
CFH-65S 	GCC CFH-65S Concealed Fixing Handle ✓ Dimension (mm): Φ65(H) ✓ Glass hole (mm): Φ20 ✓ For glass door ✓ Material: stainless steel ✓ Finish: polished stainless steel	pc	1	\$40.29
SPH001 	TEXXON SPH001 Pull Handle on Plate ✓ Dimension (mm): 300(L) x 100(W) x 1.5(H) ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$20.85
SPH002 	TEXXON SPH002 Push Plate ✓ Dimension (mm): 300(L) x 100(W) x 1.5(H) ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$14.85


Product	Specification	Unit	Qty.	Price (USD)
PU003 	TEXXON PU003 Push Plate ✓ Dimension (mm): 300(L) x 100(W) x 1.5(H) ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$14.85
PU003 	TEXXON PU003 Push Plate ✓ imension (mm): 380(L) x 90(W) x 1.5(H) ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$14.85
SPH004 	TEXXON SPH004 Pull Handle on Rose ✓ Dimension (mm): 230(L) x Φ53(W) x 56(H) x Φ19 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$26.85
SPH004 	TEXXON SPH004 Pull Handle on Rose ✓ Dimension (mm): 250(L) x Φ53(W) x 56(H) x Φ19 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$26.85


Product	Specification	Unit	Qty.	Price (USD)
UL600 	TEXXON UL600 Door Coordinator ✓ Dimension (mm): 41(W) x 16(H) ✓ Length (mm): 1066, 1320, 1524 ✓ For double door ✓ Material: aluminum ✓ Finish: aluminum	pc	1	\$168.75
2672-52" 	Rockwood 2672-52" Door Coordinator ✓ Dimension (mm): 1320(L) x 41(W) x 16(H) ✓ For double door ✓ Material: steel ✓ Finish: black	pc	1	\$357.00
SC002 	TEXXON SC002 Magnetic Door Stopper ✓ Dimension (mm): 70(L) x 45(W) ✓ Material: zinc alloy ✓ Finish: chrome plated	pc	1	\$9.30
SD002 	TEXXON SD002 Wall Door Stopper ✓ Dimension (mm): 72(L) x 50(W) ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$5.25


Product	Specification	Unit	Qty.	Price (USD)
SD002 	TEXXON SD002 Wall Door Stopper ✓ Dimension (mm): 72(L) x 50(W) ✓ Material: SUS304 ✓ Finish: satin brass	pc	1	\$9.75
SD007 	TEXXON SD007 Door Stopper with Hook ✓ Dimension (mm): 96(L) x 63(W) ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$5.70
SD010 	TEXXON SD010 Floor Door Stopper ✓ Dimension (mm): 26.5(L) x Φ45(W) ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$4.43
SD010 	TEXXON SD010 Floor Door Stopper ✓ Dimension (mm): 26.5(L) x Φ45(W) ✓ Material: SUS304 ✓ Finish: satin brass	pc	1	\$5.70

Product	Specification	Unit	Qty.	Price (USD)
SD010 	TEXXON SD010 Floor Door Stopper ✓ Dimension (mm): 26.5(L) x Φ45(W) ✓ Material: SUS304 ✓ Finish: satin black	pc	1	\$6.30
FS13 	Ives FS13 Floor Door Stopper ✓ Dimension (mm): 25(L) x Φ45(W) ✓ Material: SUS304 ✓ Finish: satin chrome	pc	1	\$20.25
SD021 	TEXXON SD021 Wall/Floor Door Stopper ✓ Dimension (mm): 37(L) x 25(W) ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$6.75
SD029L/R 	TEXXON SD029L/R Door Stopper (left/right) ✓ Dimension (mm): 121(L) x 106(W) ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$7.48

Product	Specification	Unit	Qty.	Price (USD)
SD041 	TEXXON SD041 Wall Door Stopper ✓ Dimension (mm): 53(L) x Ø35(W) ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$12.30
440 	Rockwood 440 Floor Door Stopper ✓ Dimension (mm): 22.23(L) x Ø45(W) ✓ Material: solid cast brass with duraflex bumper ✓ Finish: satin chrome	pc	1	\$25.35
490 	Rockwood 490 Door Stopper ✓ Dimension (mm): 31.75(L) x 38.1(W) ✓ Material: cast brass ✓ Finish: satin chrome	pc	1	\$69.75



Product	Specification	Unit	Qty.	Price (USD)
IDT 808 	TEXXON IDT 808 Electronic Lock ✓ 4 ways solution: fingerprint, password, card, key ✓ User (nos): 600 ✓ Door opening record (times): 250 ✓ Dimension (mm): 240(L) x 95(W) x 24(H) ✓ Backset (mm): 60 ✓ Distance (mm): 68 ✓ For door thickness (mm): 40-50 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	set	1	\$385.00
IG 720 	Oval IG 720 Smart Reader with Lever Handle ✓ 3 ways solution: smartphone (APP), password, card ✓ For app: family key, guest key & access pin code * Family key: 8 keys * Guest key: cleaning helper and friends (unlimited mobile key) * Access pin code: duration code & one time code ✓ Dimension (mm): 100(L) x 78.6(W) x 22.7(H) ✓ Backset (mm): 60 ✓ For door thickness (mm): 35-50 ✓ For steel & wooden door ✓ Finish: black, silver & gold	set	1	\$376.90
IG 720 	Oval IG 720 Smart Reader with Knob ✓ 3 ways solution: smartphone (APP), password, card ✓ For app: family key, guest key & access pin code * Family key: 8 keys * Guest key: cleaning helper and friends (unlimited mobile key) * Access pin code: duration code & one time code ✓ Dimension (mm): 100(L) x 78.6(W) x 22.7(H) ✓ Backset (mm): 60 ✓ For door thickness (mm): 35-50 ✓ For steel & wooden door ✓ Finish: black, silver & gold	set	1	\$337.00



Product	Specification	Unit	Qty.	Price (USD)
LC 91 R-RY     	Colombo Alba LC 91 R-RY Lever Handle on Rose ✓ Dimension (mm): 135(L) x 48.5(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: graphite ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$398.50
FL 11 R-RY     	Colombo Blazer FL 11 R-RY Lever Handle on Rose ✓ Dimension (mm): 140(L) x 62(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: oroplus ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$219.20
PT 11 R-RY     	Colombo Bold PT 11 R-RY Lever Handle on Rose ✓ Dimension (mm): 125(L) x 58(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$295.80
MS 11 R-RY     	Colombo Electra MS 11 R-RY Lever Handle on Rose ✓ Dimension (mm): 143(L) x 62(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$261.00

Product	Specification	Unit	Qty.	Price (USD)
CD 31 R-RY     	Colombo Heidi CD 31 R-RY Lever Handle on Rose ✓ Dimension (mm): 140(L) x 70(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: bronze ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$153.40
ID 31 R-RY     	Colombo Ida ID 31 R-RY Lever Handle on Rose ✓ Dimension (mm): 137(L) x 65(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: bronze ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$152.20
LC 41 R-RY     	Colombo Milla LC 41 R-RY Lever Handle on Rose ✓ Dimension (mm): 148(L) x 70(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: oroplus ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$233.00
LC 11 R-RY     	Colombo Taipan LC 11 R-RY Lever Handle on Rose ✓ Dimension (mm): 142(L) x 68(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$218.00

Product	Specification	Unit	Qty.	Price (USD)
AR 11 R-RY     	Colombo Piuma AR 11 R-RY Lever Handle on Rose ✓ Dimension (mm): 144(L) x 66(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: bronze ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$255.50
AR 11 R-RY     	Colombo Piuma AR 11 R-RY Lever Handle on Rose ✓ Dimension (mm): 144(L) x 66(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: oroplus ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$331.50
AR 11 P-PY     	Colombo Piuma AR 11 P-PY Lever Handle on Plate ✓ Dimension (mm): 140(L) x 66(W) ✓ Distance (mm): 85 ✓ For steel & wooden door ✓ Material: brass ✓ Finish: bronze ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$318.00
AR 11 P-PY     	Colombo Piuma AR 11 P-PY Lever Handle on Plate ✓ Dimension (mm): 140(L) x 66(W) ✓ Distance (mm): 85 ✓ For steel & wooden door ✓ Material: brass ✓ Finish: oroplus ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$341.00

Product	Specification	Unit	Qty.	Price (USD)
CD 51 P-PY     	Colombo Robodue CD 51 P-PY Lever Handle on Plate ✓ Dimension (mm): 141(L) x 66(W) ✓ Distance (mm): 85 ✓ For steel & wooden door ✓ Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$169.00
ID 41 R-RY     	Colombo Robodue CD 51 R-RY Lever Handle on Rose ✓ Dimension (mm): 141(L) x 66(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$153.50
ID 41 R-RY     	Colombo Roboquattro ID 41 R-RY Lever Handle on Rose ✓ Dimension (mm): 141(L) x 62.5(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$113.60
CD 41 R-RY     	Colombo Robot CD 41 R-RY Lever Handle on Rose ✓ Dimension (mm): 141(L) x 64(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$112.40

Product	Specification	Unit	Qty.	Price (USD)
FF 11 R-RY     	Colombo Slim FF 11 R-RY Lever Handle on Rose ✓ Dimension (mm): 140(L) x 60(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$263.40
CD 01 R-RY     	Colombo Star CD 01 R-RY Lever Handle on Rose ✓ Dimension (mm): 142(L) x 66(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$162.00
LC 51 R-RY     	Colombo Tailla LC 51 R-RY Lever Handle on Rose ✓ Dimension (mm): 142(L) x 68(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$229.30
LC 21 R-RY     	Colombo Talita LC 21 R-RY Lever Handle on Rose ✓ Dimension (mm): 141(L) x 68(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$207.70

Product	Specification	Unit	Qty.	Price (USD)
MM 11 R-RY     	Colombo Zelda MM 11 R-RY Lever Handle on Rose ✓ Dimension (mm): 144(L) x 62(W) ✓ For steel & wooden door ✓ Material: brass ✓ Finish: cromat ✓ Green made ✓ UNI EN ISO 9001:2015 ✓ UNI EN ISO 14001:2015 ✓ UNI EN 1906:2012	pair	1	\$241.70
L6002/55LS 	Legge L6002/55LS Alessandro Lever Handle on Rose ✓ Dimension (mm): 117(L) x 64(W) x Φ11 ✓ For steel & wooden door ✓ Material: forged brass ✓ Finish: chrome plate	pc	1	\$258.00
S-04 	Lockwood S-04 Lever Handle on Rose ✓ Dimension (mm): 130(L) x 52(W) x Φ22 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pair	1	\$121.50
LHT01E03  	TEXXON LHT01E03 Lever Handle Type "U" on Rose ✓ Dimension (mm): 140(L) x 63(W) x Φ20 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$28.35


Product	Specification	Unit	Qty.	Price (USD)
LHT03E03 	TEXXON LHT03E03 Lever Handle Type "L" on Rose ✓ Dimension (mm): 135(L) x 60(W) x Φ20 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin brass	pair	1	\$41.85
LHT03E03  	TEXXON LHT03E03 Lever Handle Type "L" on Rose ✓ Dimension (mm): 135(L) x 60(W) x Φ20 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$28.35
LHT03P06  	TEXXON LHT03P06 Lever Handle Type "L" on Plate ✓ Dimension (mm): 135(L) x 60(W) x Φ20 ✓ Distance (mm): 85 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$41.40
LHT04E03 	TEXXON LHT04E03 Lever Handle Type "L" on Rose ✓ Dimension (mm): 135(L) x 60(W) x Φ20 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin black	pair	1	\$43.50

Product	Specification	Unit	Qty.	Price (USD)
LHT04E03  	TEXXON LHT04E03 Lever Handle Type "L" on Rose ✓ Dimension (mm): 135(L) x 60(W) x Φ20 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$28.35
LHT04P06  	TEXXON LHT04P06 Lever Handle Type "L" on Plate ✓ Dimension (mm): 135(L) x 60(W) x Φ20 ✓ Distance (mm): 72 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$43.50
LHT05E03  	TEXXON LHT05E03 Lever Handle Type "L" on Rose ✓ Dimension (mm): 140(L) x 65(W) x Φ19 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$31.50
LHT23E06  	TEXXON LHT23E06 Lever Handle Narrow Type "U" on Rose ✓ Dimension (mm): 140(L) x 63(W) x Φ20 ✓ For aluminum door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$28.35

Product	Specification	Unit	Qty.	Price (USD)
LHT24E06  	TEXXON LHT24E06 Lever Handle Narrow Type "L" on Rose ✓ Dimension (mm): 135(L) x 60(W) x Φ20 ✓ For aluminum door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$28.35
LHT25E06  	TEXXON LHT25E06 Lever Handle Narrow Type "L" on Rose ✓ Dimension (mm): 135(L) x 60(W) x Φ20 ✓ For aluminum door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$28.35
LHT26E06  	TEXXON LHT26E06 Lever Handle Narrow Type "L" on Rose ✓ Dimension (mm): 135(L) x 64(W) x Φ20 ✓ For aluminum door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$31.50
LHI01E03  	TEXXON LHI01E03 Lever Handle Type "L" on Rose ✓ Dimension (mm): 130(L) x 68(W) x Φ24 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$58.35

Product	Specification	Unit	Qty.	Price (USD)
LHI05E03  	TEXXON LHI05E03 Lever Handle Type "L" on Rose ✓ Dimension (mm): 120(L) x 52(W) x Φ22 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$58.35
LHI11E03  	TEXXON LHI11E03 Lever Handle Type "L" on Rose ✓ Dimension (mm): 130(L) x 52(W) x Φ22 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$58.35
LHI18E03  	TEXXON LHI18E03 Lever Handle Type "L" on Rose ✓ Dimension (mm): 150(L) x 56(W) x Φ25 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$48.00
LHI27E03  	TEXXON LHI27E03 Lever Handle Type "L" on Rose ✓ Dimension (mm): 133(L) x 57(W) x Φ25 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$58.35

Product	Specification	Unit	Qty.	Price (USD)
LHS01E08  	TEXXON LHS01E08 Lever Handle Type "L" on Rose ✓ Dimension (mm): 135(L) x 48(W) x Φ22 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$41.85
LHS11E08  	TEXXON LHS11E08 Lever Handle Type "L" on Rose ✓ Dimension (mm): 130(L) x 50(W) x Φ22 ✓ For steel & wooden door ✓ Material: SUS304 ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours	pair	1	\$46.50
1389SA-AE 	TEXXON 1389SA-AE Lever Handle on Rose ✓ Dimension (mm): 123(L) x 51(W) x Φ25 ✓ For steel & wooden door ✓ Material: brass ✓ Finish: antique bronze	pair	1	\$228.00
DHL 416 PAB 	TEXXON DHL 416 PAB Lever Handle on Plate ✓ Dimension (mm): 330(L) x 60(W) ✓ Distance (mm): 85 ✓ For steel & wooden door ✓ Material: zinc alloy ✓ Finish: antique bronze	pair	1	\$88.08



Product	Specification	Unit	Qty.	Price (USD)
5410.60.R     	Briton 5410.60.R Deadlock ✓ Dimension (mm): 235(L) x 93(W) x 20(H) ✓ Backset (mm): 60 ✓ For steel & wooden door ✓ Material: front face & strike SUS316 ✓ Finish: front face & strike satin stainless steel ✓ EN 12209 and CE Marked ✓ EN 1634 fire testing for: 1 hour timber fire doors and 4 hour steel fire doors ✓ Certified approved CF741	set	1	\$129.00
5420.60.R     	Briton 5420.60.R Sashlock ✓ Dimension (mm): 235(L) x 93(W) x 20(H) ✓ Backset (mm): 60 ✓ Distance (mm): 72 ✓ For steel & wooden door ✓ Material: front face & strike SUS316 ✓ Finish: front face & strike satin stainless steel ✓ EN 12209 and CE Marked ✓ EN 1634 fire testing for: 1 hour timber fire doors and 4 hour steel fire doors ✓ Certified approved CF741	set	1	\$149.25
150PZH  	Kale 150PZH Sashlock ✓ Dimension (mm): 280(L) x 99(W) x 24(H) ✓ Backset (mm): 65 ✓ Distance (mm): 92 ✓ For steel & wooden door ✓ Material: front face & strike steel ✓ Finish: front face & strike nickel plated ✓ Fire rated: 2 hours	set	1	\$60.75
152R-60  	Kale 152R-60 Sashlock ✓ Dimension (mm): 240(L) x 87(W) x 23(H) ✓ Backset (mm): 60 ✓ Distance (mm): 85 ✓ For steel & wooden door ✓ Material: front face & strike steel ✓ Finish: front face & strike nickel plated ✓ Fire rated: 2 hours	set	1	\$31.50

**Sale off
30%**

**Sale off
30%**

Product	Specification	Unit	Qty.	Price (USD)
152R-45  	Kale 152R-45 Sashlock ✓ Dimension (mm): 240(L) x 71(W) x 23(H) ✓ Backset (mm): 45 ✓ Distance (mm): 85 ✓ For steel & wooden door ✓ Material: front face & strike steel ✓ Finish: front face & strike nickel plated ✓ Fire rated: 2 hours 	set	1	\$28.50
153U-30 	Kale 153U-30 Narrow Sashlock ✓ Dimension (mm): 240(L) x 46(W) x 23(H) ✓ Backset (mm): 30 ✓ Distance (mm): 85 ✓ For aluminium door ✓ Material: front face & strike steel ✓ Finish: front face & strike nickel plated 	set	1	\$25.50
153U-25 	Kale 153U-25 Narrow Sashlock ✓ Dimension (mm): 240(L) x 41(W) x 23(H) ✓ Backset (mm): 25 ✓ Distance (mm): 85 ✓ For aluminium door ✓ Material: front face & strike steel ✓ Finish: front face & strike nickel plated 	set	1	\$23.25
253-25 	Kale 253-25 Narrow Sashlock ✓ Dimension (mm): 240(L) x 41(W) x 23(H) ✓ Backset (mm): 25 ✓ Distance (mm): 85 ✓ For aluminium door ✓ Material: front face & strike steel ✓ Finish: front face & strike nickel plated 	set	1	\$23.25

Product	Specification	Unit	Qty.	Price (USD)
150BAD 	Kale 150BAD Bathroom Lock ✓ Dimension (mm): 235(L) x 85(W) x 24(H) ✓ Backset (mm): 55 ✓ Distance (mm): 78 ✓ For steel & wooden door ✓ Material: front face & strike steel ✓ Finish: front face & strike nickel plated Sale off 30%	set	1	\$35.25
155 	Kale 155 Roller Latch ✓ Dimension (mm): 240(L) x 46(W) x 23(H) ✓ Backset (mm): 30 ✓ For aluminium door ✓ Material: front face & strike steel ✓ Finish: front face & strike nickel plated Sale off 30%	set	1	\$24.00
V1-3 	Lockwood V1-3 Sashlock ✓ Dimension (mm): 235(L) x 89(W) x 20(H) ✓ Backset (mm): 60 ✓ For steel & wooden door ✓ Material: front face & strike stainless steel ✓ Finish: front face & strike stainless steel	set	1	\$77.00
V1-4 	Lockwood V1-4 Deadlock ✓ Dimension (mm): 235(L) x 89(W) x 20(H) ✓ Backset (mm): 60 ✓ For steel & wooden door ✓ Material: front face & strike stainless steel ✓ Finish: front face & strike stainless steel	set	1	\$71.25

Product	Specification	Unit	Qty.	Price (USD)
SP8653-01 	Lockwood SP8653-01 Sliding Patio Door Handle ✓ Dimension (mm): 184(L) x 36(W) x 15.5(H) ✓ Backset (mm): 25 ✓ Distance (mm): 78 ✓ For aluminium door ✓ Material: front face & strike steel ✓ Finish: front face & strike steel	set	1	\$202.50
CB 2011 LK 	Colombo Slide CB 2011 LK Flush Pull Handle with Hook Lock ✓ Dimension (mm): 150(L) x 80(W) x 43(H) ✓ For steel & wooden door ✓ Material: cromall & ABS ✓ Finish: front face & strike cromat	set	1	\$420.00
EL2020S 	IR EL2020S Sashlock ✓ Dimension (mm): 235(L) x 93(W) x 20(H) ✓ Backset (mm): 60 ✓ Distance (mm): 72 ✓ For steel & wooden door ✓ Material: front face & strike stainless steel ✓ Finish: front face & strike satin stainless steel ✓ Fire rated: 72 minutes ✓ EN 12209 ✓ Din 18251	set	1	\$57.00
ME30T 	IR ME30T Narrow Latch ✓ Dimension (mm): 240(L) x 44(W) x 23(H) ✓ Backset (mm): 30 ✓ For aluminium door ✓ Material: front face & strike stainless steel ✓ Finish: front face & strike satin stainless steel	set	1	\$49.50

Product	Specification	Unit	Qty.	Price (USD)
TAB35SCLAI 	Tesa TAB35SCLAI Multipoint Autodeadbolt Lock ✓ Dimension (mm): 2030(L) x 69(W) x 20(H) ✓ Backset (mm): 50 ✓ Distance (mm): 85 ✓ For steel & wooden door ✓ Material: front face & strike steel ✓ Finish: front face & strike stainless steel ✓ TAB autodeadbolt lock * Auxiliary lock are automatically projected. When the door is closed, all the time 3 points working, the latch bolt and two auxiliary locks. * From the interior side, when the handle is activated, two auxiliary locks and the latch bolt are withdraw. From the exterior part, the cylinder is used for the same function. * Form more security the 4 central rollers bolts can be activated with the cylinder and they are completely independent, and they ant saw rotation movement.	set	1	\$933.00
TLB35SCLAI 	Tesa TLB35SCLAI Multipoint Lock ✓ Dimension (mm): 2030(L) x 69(W) x 20(H) ✓ Backset (mm): 50 ✓ Distance (mm): 85 ✓ For steel & wooden door ✓ Material: front face & strike steel ✓ Finish: front face & strike stainless steel	set	1	\$787.50


Product	Specification	Unit	Qty.	Price (USD)
403140HN    	Tesa 403140HN Deadlock ✓ Dimension (mm): 96(L) x 69(W) x 20(H) ✓ Backset (mm): 40 ✓ For steel & wooden door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike satin stainless steel ✓ ANSI A156.18 ✓ ASTM D3359/90 ✓ EN 1670 anti corrosion resistance up to 96 hours	set	1	\$68.25
403050AL    	Tesa 403050AL Sashlock ✓ Dimension (mm): 175(L) x 89(W) x 23(H) ✓ Backset (mm): 50 ✓ Distance (mm): 85 ✓ For steel & wooden door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike satin stainless steel ✓ ANSI A156.18 ✓ ASTM D3359/90 ✓ EN 1670 anti corrosion resistance up to 96 hours	set	1	\$123.75
203060LP 	Tesa 203060LP Sashlock ✓ Dimension (mm): 240(L) x 74(W) x 23(H) ✓ Backset (mm): 60 ✓ Distance (mm): 85 ✓ For steel & wooden door ✓ Material: front face & strike steel ✓ Finish: front face & strike brass ✓ DIN V 18254	set	1	\$135.00
203460LP 	Tesa 203460LP Privacy ✓ Dimension (mm): 240(L) x 74(W) x 23(H) ✓ Backset (mm): 50 ✓ Distance (mm): 85 ✓ For steel & wooden door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike satin stainless steel ✓ DIN V 18254	set	1	\$135.00

Product	Specification	Unit	Qty.	Price (USD)
44620 	Cisa 44620 Narrow Sashlock ✓ Dimension (mm): 240(L) x 40(W) x 22(H) ✓ Backset (mm): 25 ✓ For aluminium door ✓ Material: front face & strike steel ✓ Finish: front face & strike nickel plated	set	1	\$52.50
CE 200 series 281  	TEXXON CE 200 series 281 Deadlock ✓ Dimension (mm): 176(L) x 42.5(W) x 25(H) ✓ Backset (mm): 55 ✓ For steel & wooden door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike satin stainless steel ✓ Fire rated: 2 hours ✓ CE ✓ EN 12209	set	1	\$33.75
CE 100 series 151  	TEXXON CE 100 series 151 Narrow Deadlock ✓ Dimension (mm): 176(L) x 42.5(W) x 25(H) ✓ Backset (mm): 25 ✓ For aluminium door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike satin stainless steel ✓ CE ✓ EN 12209	set	1	\$28.50
CE 200 Series 282  	TEXXON CE 200 Series 282 Sashlock ✓ Dimension (mm): 235(L) x 83(W) x 24(H) ✓ Backset (mm): 55 ✓ Distance (mm): 72 ✓ For steel & wooden door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike satin stainless steel ✓ Fire rated: 2 hours ✓ CE ✓ EN 12209	set	1	\$27.75

Product	Specification	Unit	Qty.	Price (USD)
CE 200 series 282  	TEXXON CE 200 Series 282 Sashlock ✓ Dimension (mm): 235(L) x 83(W) x 24(H) ✓ Backset (mm): 55 ✓ Distance (mm): 72 ✓ For steel & wooden door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike satin brass ✓ CE ✓ EN 12209	set	1	\$51.75
CE 200 series 282  	TEXXON CE 200 series 282 Sashlock ✓ Dimension (mm): 235(L) x 83(W) x 24(H) ✓ Backset (mm): 55 ✓ Distance (mm): 72 ✓ For steel & wooden door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike black ✓ CE ✓ EN 12209	set	1	\$68.25
CE 100 series 182  	TEXXON CE 100 Series 182 Narrow Sashlock ✓ Dimension (mm): 235(L) x 73(W) x 24(H) ✓ Backset (mm): 45 ✓ Distance (mm): 85 ✓ For steel, aluminium & wooden door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike satin stainless steel ✓ CE ✓ EN 12209	set	1	\$28.50
CE 100 series 172  	TEXXON CE 100 Series 172 Narrow Sashlock ✓ Dimension (mm): 240(L) x 51(W) x 22(H) ✓ Backset (mm): 35 ✓ Distance (mm): 85 ✓ For aluminium door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike satin stainless steel ✓ CE ✓ EN 12209	set	1	\$28.50

Product	Specification	Unit	Qty.	Price (USD)
CE 100 Series 162  	TEXXON CE 100 Series 162 Narrow Sashlock ✓ Dimension (mm): 240(L) x 46(W) x 22(H) ✓ Backset (mm): 30 ✓ Distance (mm): 85 ✓ For aluminium door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike satin stainless steel ✓ CE ✓ EN 12209	set	1	\$28.50
CE 100 Series 152  	TEXXON CE 100 Series 152 Narrow Sashlock ✓ Dimension (mm): 240(L) x 41(W) x 22(H) ✓ Backset (mm): 25 ✓ Distance (mm): 85 ✓ For aluminium door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike satin stainless steel ✓ CE ✓ EN 12209	set	1	\$28.50
CE 200 series 283   	TEXXON CE 200 series 283 Latch ✓ Dimension (mm): 235(L) x 83(W) x 24(H) ✓ Backset (mm): 55 ✓ For steel & wooden door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike satin stainless steel ✓ Fire rated: 2 hours ✓ CE ✓ EN 12209	set	1	\$33.75
CE 100 series 156  	TEXXON CE 100 series 156 Narrow Roller Latch ✓ Dimension (mm): 240(L) x 41(W) x 22(H) ✓ Backset (mm): 25 ✓ For aluminium door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike satin stainless steel ✓ CE ✓ EN 12209	set	1	\$28.50

Product	Specification	Unit	Qty.	Price (USD)
CE 200 series 285  	TEXXON CE 200 series 285 Hook Lock ✓ Dimension (mm): 158(L) x 60(W) x 20(H) ✓ Backset (mm): 50 ✓ For steel & wooden door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike satin stainless steel ✓ Fire rated: 2 hours ✓ CE ✓ EN 12209	set	1	\$32.25
CE 100 series 165  	TEXXON CE 100 Series 165 Narrow Hook Lock ✓ Dimension (mm): 168(L) x 47(W) x 22(H) ✓ Backset (mm): 30 ✓ For aluminium door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike satin stainless steel ✓ CE ✓ EN 12209	set	1	\$32.25
201-40 	Kale 201-40 Hook Lock ✓ Dimension (mm): 158(L) x 59(W) x 20(H) ✓ Backset (mm): 40 ✓ For steel & wooden door ✓ Material: front face & strike steel ✓ Finish: front face & strike nickel plated 	set	1	\$21.00
12081 	Dalco 12081 Tabular Mortise Bolt ✓ Dimension (mm): 240(L) x 41(W) x 22(H) ✓ Backset (mm): 60 ✓ For steel & wooden door ✓ Material: front face & strike SUS304 ✓ Finish: front face & strike satin stainless steel	set	1	\$65.25



Product	Specification	Unit	Qty.	Price (USD)
OG-304-09 	Cisa OG-304-09 Half Cylinder ✓ Dimension (mm): 32.7(L) x 42.5(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 5 pin ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ Compliant with EN 1303:2015 ✓ Attack resistance: grade 0 ✓ Key related security: grade 4 ✓ Durability: grade 6	pc	1	\$44.25
OG-300-07 	Cisa OG-300-07 Double Cylinder ✓ Dimension (mm): 32.7(L) x 60(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 5 pin ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ Compliant with EN 1303:2015 ✓ Attack resistance: grade 0 ✓ Key related security: grade 4 ✓ Durability: grade 6	pc	1	\$49.50
OG-300-13 	Cisa OG-300-13 Double Cylinder ✓ Dimension (mm): 32.7(L) x 70(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 5 pin ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ Compliant with EN 1303:2015 ✓ Attack resistance: grade 0 ✓ Key related security: grade 4 ✓ Durability: grade 6	pc	1	\$51.00
OG-300-18 	Cisa OG-300-18 Double Cylinder ✓ Dimension (mm): 32.7(L) x 80(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 5 pin ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ Compliant with EN 1303:2015 ✓ Attack resistance: grade 0 ✓ Key related security: grade 4 ✓ Durability: grade 6	pc	1	\$54.00

Product	Specification	Unit	Qty.	Price (USD)
OG-302-07 	Cisa OG-302-07 Cylinder & Turn ✓ Dimension (mm): 32.7(L) x 60(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 5 pin ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ Compliant with EN 1303:2015 ✓ Attack resistance: grade 0 ✓ Key related security: grade 4 ✓ Durability: grade 6	pc	1	\$52.50
164GNC 	Kale 164GNC Half Cylinder ✓ Dimension (mm): 33(L) x 45(W) x 10(H) x Φ17 ✓ Distance (mm): 19 ✓ Features: 5 pin ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ TS EN 1303 Sale off 30%	pc	1	\$23.25
164GNC 	Kale 164GNC Half Cylinder ✓ Dimension (mm): 33(L) x 45(W) x 10(H) x Φ17 ✓ Distance (mm): 19 ✓ Features: 5 pin ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: brass ✓ TS EN 1303 Sale off 30%	pc	1	\$23.25
164GN 	Kale 164GN Double Cylinder ✓ Dimension (mm): 33(L) x 62(W) x 10(H) x Φ17 ✓ Distance (mm): 19 ✓ Features: 5 pin ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ TS EN 1303 Sale off 30%	pc	1	\$35.25

Product	Specification	Unit	Qty.	Price (USD)
164GN 	Kale 164GN Double Cylinder ✓ Dimension (mm): 33(L) x 62(W) x 10(H) x Φ17 ✓ Distance (mm): 19 ✓ Features: 5 pin ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin brass ✓ TS EN 1303 Sale off 30%	pc	1	\$35.25
164GN 	Kale 164GN Double Cylinder ✓ Dimension (mm): 33(L) x 37/31(W) x 10(H) x Φ17 ✓ Distance (mm): 19 ✓ Features: 5 pin ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ TS EN 1303 Sale off 30%	pc	1	\$35.25
164GM 	Kale 164GM Cylinder & Turn ✓ Dimension (mm): 33(L) x 62(W) x 10(H) x Φ17 ✓ Distance (mm): 19 ✓ Features: 5 pin ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ TS EN 1303 Sale off 30%	pc	1	\$37.49
EC902-65 	Schlage EC902-65 Double Cylinder ✓ Dimension (mm): 33(L) x 65(W) x 10(H) x Φ17 ✓ Distance (mm): 19 ✓ Features: 5 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ EN 1303	pc	1	\$33.00


Product	Specification	Unit	Qty.	Price (USD)
EC902-80 	Schlage EC902-80 Double Cylinder ✓ Dimension (mm): 33(L) x 80(W) x 10(H) x Φ17 ✓ Distance (mm): 19 ✓ Features: 6 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ EN 1303	pc	1	\$37.50
EC903-65 	Schlage EC903-65 Cylinder & Turn ✓ Dimension (mm): 33(L) x 65(W) x 10(H) x Φ17 ✓ Distance (mm): 19 ✓ Features: 5 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ EN 1303	pc	1	\$42.00
EC903-80 	Schlage EC903-80 Cylinder & Turn ✓ Dimension (mm): 33(L) x 80(W) x 10(H) x Φ17 ✓ Distance (mm): 19 ✓ Features: 6 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ EN 1303	pc	1	\$51.00
EC901-45  	TEXXON EC901-45 Half Cylinder ✓ Dimension (mm): 32.7(L) x 45(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 6 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ Fire rated: 2 hours ✓ EN 1303	pc	1	\$27.00

Product	Specification	Unit	Qty.	Price (USD)
EC902-68 	TEXXON EC902-68 Double Cylinder ✓ Dimension (mm): 32.7(L) x 68(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 6 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel, aluminium & wooden door ✓ Material: brass ✓ Finish: black ✓ EN 1303	pc	1	\$42.75
EC902-68 	TEXXON EC902-68 Double Cylinder ✓ Dimension (mm): 32.7(L) x 68(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 6 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel, aluminium & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ Fire rated: 2 hours ✓ EN 1303	pc	1	\$27.45
EC902-80 	TEXXON EC902-80 Double Cylinder ✓ Dimension (mm): 32.7(L) x 80(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 6 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ Fire rated: 2 hours ✓ EN 1303	pc	1	\$36.75
EC902-85 	TEXXON EC902-85 Double Cylinder ✓ Dimension (mm): 32.7(L) x 50/35(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 6 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ Fire rated: 2 hours ✓ EN 1303	pc	1	\$36.75

Product	Specification	Unit	Qty.	Price (USD)
EC903-65  	TEXXON EC903-65 Cylinder & Turn ✓ Dimension (mm): 32.7(L) x 65(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 6 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ Fire rated: 2 hours ✓ EN 1303	pc	1	\$22.50
EC903-68 	TEXXON EC903-68 Cylinder & Turn ✓ Dimension (mm): 32.7(L) x 68(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 6 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin brass ✓ EN 1303	pc	1	\$34.50
EC903-68 	TEXXON EC903-68 Cylinder & Turn ✓ Dimension (mm): 32.7(L) x 68(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 6 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: black ✓ EN 1303	pc	1	\$42.75
EC903-68  	TEXXON EC903-68 Cylinder & Turn ✓ Dimension (mm): 32.7(L) x 68(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 6 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ Fire rated: 2 hours ✓ EN 1303	pc	1	\$27.45

Product	Specification	Unit	Qty.	Price (USD)
EC903-80  	TEXXON EC903-80 Cylinder & Turn ✓ Dimension (mm): 32.7(L) x 80(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 6 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ Fire rated: 2 hours ✓ EN 1303	pc	1	\$36.75
EC903-85  	TEXXON EC903-85 Cylinder & Turn ✓ Dimension (mm): 32.7(L) x 35/50(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 6 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ Fire rated: 2 hours ✓ EN 1303	pc	1	\$36.75
EC903-85  	TEXXON EC904-68 Bathroom Cylinder ✓ Dimension (mm): 32.7(L) x 50/35(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ Features: 6 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated ✓ Fire rated: 2 hours ✓ EN 1303	pc	1	\$36.75
EC904-68  	TEXXON EC904-68 Bathroom Cylinder ✓ Dimension (mm): 32.7(L) x 68(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin nickel plated	pc	1	\$25.50

Product	Specification	Unit	Qty.	Price (USD)
EC904-68 	TEXXON EC904-68 Bathroom Cylinder ✓ Dimension (mm): 32.7(L) x 68(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: black	pc	1	\$37.50
EC904-68 	TEXXON EC904-68 Bathroom Cylinder ✓ Dimension (mm): 32.7(L) x 45(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ For steel, aluminum & wooden door ✓ Material: brass ✓ Finish: satin brass	pc	1	\$31.50
EC905-45  	TEXXON EC905-45 Half Turn ✓ Dimension (mm): 32.7(L) x 45(W) x 9.9(H) x Φ16.9 ✓ Distance (mm): 19 ✓ For steel, aluminum & wooden door ✓ Material: Brass ✓ Finish: satin nickel plated ✓ Fire rated: 2 hours ✓ EN 1303	pc	1	\$29.25
LCT20S35  	TEXXON LCT20S35 Padlock ✓ Dimension (mm): 54(L) x 50(W) x 20(H) ✓ Shackle (mm): 35 ✓ For gate door ✓ Material: brass ✓ Finish: satin chrome ✓ Fire rated: 2 hours ✓ EN 1303	pc	1	\$52.04




Product	Specification	Unit	Qty.	Price (USD)
L9080-03A  	Schlage L9080-03A Storeroom Lock ✓ Dimension (mm): 203(L) x 114(W) x 32(H) ✓ Backset (mm): 70 ✓ Features: 6 pin, c123 keyway ✓ Each cylinder: 3 keys ✓ For steel & wooden door ✓ Material: stainless steel ✓ Finish: satin chrome ✓ Fire rated: 3 hours ✓ Over 1,000,000 cycle test ✓ ANSI A156.13 Grade 1 ✓ UL437	set	1	\$5,745.00
AL53PD NEP   	Schlage AL53PD NEP Entrance Lockset ✓ Dimension (mm): 57(L) x 68(W) x 25(H) x Φ53 ✓ Backset (mm): 70 ✓ Features: 6 pin, c123 keyway ✓ Each cylinder: 3 keys ✓ For steel & wooden door ✓ Material: pressure cast zinc lever; wrought brass or bronze rose ✓ Finish: satin chrome ✓ ANSI A156.2 Grade 2 ✓ UL437	set	1	\$2,085.00
F51 GEO  	Schlage F51 GEO Entrance Lockset ✓ Dimension (mm): 60(L) x 68(W) x 22(H) x Φ69 ✓ Backset (mm): 60 ✓ Features: 6 pin, c5 keyway ✓ Each cylinder: 3 keys ✓ For steel & wooden door ✓ Material: wrought brass, pressure cast zinc ✓ Finish: antique brass ✓ ANSI A156.2 Grade 2	set	1	\$200.25
F40 GEO  	Schlage F40 GEO Privacy Lockset ✓ Dimension (mm): 60(L) x 68(W) x 22(H) x Φ69 ✓ Backset (mm): 60 ✓ For steel & wooden door ✓ Material: wrought brass, pressure cast zinc ✓ Finish: antique brass ✓ ANSI A156.2 Grade 2	set	1	\$127.50

Product	Specification	Unit	Qty.	Price (USD)
F707-ET-605 	TEXXON F707-ET-605 Entrance Lockset ✓ Dimension (mm): 269(L) x 65(W) x 25(H) ✓ Backset (mm): 60 ✓ Features: 5 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel & wooden door ✓ Material: Zinc alloy ✓ Finish: brass Sale off 30%	set	1	\$45.75
AL99-BK  	TEXXON AL99-BK Privacy Lockset ✓ Dimension (mm): 108(L) x 64(W) ✓ Backset (mm): 60 ✓ For steel & wooden door ✓ Material: SUS304 SSS ✓ Finish: satin stainless steel ✓ ANSI Grade 2 ✓ UL437 Sale off 30%	set	1	\$50.25
S98-BK  	TEXXON S98-BK Privacy Lockset ✓ Dimension (mm): 108(L) x 64(W) ✓ Backset (mm): 60 ✓ For steel & wooden door ✓ Material: SUS304 SSS ✓ Finish: satin stainless steel ✓ ANSI Grade 3 Sale off 30%	set	1	\$29.25
CDS-01-ET  	Briton CDS-01-ET Entrance Lockset ✓ Dimension (mm): 57(L) x 54(W) x 25(H) ✓ Backset (mm): 60 ✓ Features: 5 pin ✓ Each cylinder: 3 keys ✓ For steel & wooden door ✓ Material: SUS304 SSS ✓ Finish: satin stainless steel ✓ ANSI Grade 2 ✓ UL437 Sale off 30%	set	1	\$14.25

Product	Specification	Unit	Qty.	Price (USD)
J54 CNA  	Dexter by Schlage J54 CNA Entrance Lockset ✓ Dimension (mm): 57(L) x 68(W) x 25(H) x Φ 51 ✓ Backset (mm): 60 ✓ Features: 5 pin, sc1 keyway ✓ Each cylinder: 3 keys ✓ For steel & wooden door ✓ Material: solid brass ✓ Finish: satin stainless steel ✓ ANSI Grade 3 Sale off 30%	set	1	\$95.25
T5870SS-ET  	TEXXON T5870SS-ET Entrance Lockset ✓ Dimension (mm): 57(L) x 68(W) x 25(H) x Φ 60 ✓ Backset (mm): 60 ✓ Features: 5 pin, sc1 keyway ✓ Each cylinder: 3 keys ✓ For steel & wooden door ✓ Material: SUS304 SSS ✓ Finish: satin stainless steel ✓ ANSI A156.2 Grade 2 Sale off 30%	set	1	\$30.00
A53PD  	TEXXON A53PD Entrance Lockset ✓ Dimension (mm): 57(L) x 68(W) x 25(H) x Φ 53 ✓ Backset (mm): 60 ✓ Features: 5 pin, sc1 keyway ✓ Each cylinder: 3 keys ✓ For steel & wooden door ✓ Material: SUS304 SSS ✓ Finish: satin stainless steel ✓ ANSI A156.2 Grade 2 Sale off 30%	set	1	\$23.25
A40S  	TEXXON A40S Privacy Lockset ✓ Dimension (mm): 57(L) x 68(W) x 25(H) x Φ 53 ✓ Backset (mm): 60 ✓ For steel & wooden door ✓ Material: SUS304 SSS ✓ Finish: satin stainless steel ✓ ANSI A156.2 Grade 2 Sale off 30%	set	1	\$22.50

Product	Specification	Unit	Qty.	Price (USD)
A10S  	TEXXON A10S Passage Latch ✓ Dimension (mm): 57(L) x 68(W) x 25(H) x Φ60 ✓ Backset (mm): 60 ✓ For steel & wooden door ✓ Material: SUS304 SSS ✓ Finish: satin stainless steel ✓ ANSI A156.2 Grade 2 Sale off 30%	set	1	\$21.75
A79D  	TEXXON A79D Communicating Lock ✓ Dimension (mm): 57(L) x 68(W) x 25(H) x Φ53 ✓ Backset (mm): 60 ✓ Features: 5 pin, sc1 keyway ✓ Each cylinder: 3 keys ✓ For steel & wooden door ✓ Material: SUS304 SSS ✓ Finish: satin stainless steel ✓ ANSI A156.2 Grade 2 Sale off 30%	set	1	\$21.75
A25D  	TEXXON A25D Exit Lock ✓ Dimension (mm): 57(L) x 68(W) x 25(H) x Φ53 ✓ Backset (mm): 60 ✓ For steel & wooden door ✓ Material: SUS304 SSS ✓ Finish: satin stainless steel ✓ ANSI A156.2 Grade 2 Sale off 30%	set	1	\$18.00
5870SS-EL  	TEXXON 5870SS-EL Exit Lock ✓ Dimension (mm): 57(L) x 68(W) x 25(H) x Φ53 ✓ Backset (mm): 60 ✓ For steel & wooden door ✓ Material: SUS304 SSS ✓ Finish: satin stainless steel ✓ ANSI A156.2 Grade 2 Sale off 30%	set	1	\$16.50

Product	Specification	Unit	Qty.	Price (USD)
B660P  	TEXXON B660P Deadbolt Lock ✓ Dimension (mm): 57(L) x 54(W) x 29(H) ✓ Backset (mm): 60 ✓ Features: 5 pin, sc1 keyway ✓ Each cylinder: 3 keys ✓ For steel & wooden door ✓ Material: SUS304 SSS ✓ Finish: satin stainless steel ✓ ANSI A156.5 Grade 2 Sale off 30%	set	1	\$38.25
B660P    	Schlage B660P Single Cylinder Deadbolt ✓ Dimension (mm): 57(L) x 54(W) x 29(H) ✓ Backset (mm): 60 ✓ Features: 6 pin, c123 keyway ✓ Each cylinder: 3 keys ✓ For steel & wooden door ✓ Material: metal ✓ Finish: satin chrome ✓ ANSI/BHMA A156.36 Grade 1 ✓ UL437	set	1	\$95.25
B60N BRK    	Schlage B60N BRK Single Cylinder Deadbolt ✓ Dimension (mm): 47.8(L) x 36.9(W) x 22.9(H) ✓ Backset (mm): 60 ✓ Features: 5 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel & wooden door ✓ Material: metal ✓ Finish: antique brass ✓ ANSI/BHMA A156.36-2010 Grade 1 ✓ UL Listed	set	1	\$450.00
B62N    	Schlage B62N Double Cylinder Deadbolt ✓ Dimension (mm): 47.8(L) x 36.9(W) x 22.9(H) ✓ Backset (mm): 60 ✓ Features: 5 pin, c keyway ✓ Each cylinder: 3 keys ✓ For steel & wooden door ✓ Material: metal ✓ Finish: satin chrome ✓ ANSI/BHMA Grade 1 ✓ UL Listed	set	1	\$526.50



Product	Specification	Unit	Qty.	Price (USD)
450 series  	Atena 450 series Concealed Door Closer ✓ Dimension (mm): 230(L) x 57(W) x 30(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 850-1100 ✓ Minimum door thickness (mm): 40-45 ✓ Maximum angle or opening: 120° ✓ Hold open: 90° ✓ Door weight (kg): 45-80 ✓ Material: aluminum ✓ Finish: silver ✓ Fire rated: 2 hours ✓ PSB No.54S0/LGJ, 500,000 cycles test ✓ EN 1154 	set	1	\$100.31
88 series  	Atena 88 series NHO Door Closer size 2-4 ✓ Dimension (mm): 220(L) x 45(W) x 53.5(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 850-1100 ✓ Maximum angle or opening: 180° ✓ Hold open: non ✓ Door weight (kg): 45-85 ✓ Material: aluminum ✓ Finish: silver ✓ PSB No.54S044478/LGJ & 54S042157/LGJ ✓ EN 1154 	set	1	\$39.45
1120B  	Briton 1120B NHO Door Closer ✓ Dimension (mm): 236(L) x 60(W) x 38.5(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 850-1100 ✓ Maximum angle or opening: 180° ✓ Hold open: non ✓ Door weight (kg): 40-80 ✓ Material: aluminum ✓ Finish: silver ✓ Fire rated: 2 hours ✓ Certifire approved CF388 ✓ EN 1154	set	1	\$361.50
2000 series  	Briton 2000 series NHO Door Closer ✓ Dimension (mm): 249(L) x 48(W) x 59(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 850-1100 ✓ Maximum angle or opening: 180° ✓ Hold open: non ✓ Door weight (kg): 40-80 ✓ Material: aluminum ✓ Finish: silver ✓ Fire rated: 2 hours ✓ Certifire approved CF111 ✓ EN 1154	set	1	\$765.00

Product	Specification	Unit	Qty.	Price (USD)
Boxer EN 2-4  	Geze Boxer EN 2-4 Integrated Concealed Door Closer ✓ Dimension (mm): 286(L) x 32(W) x 45(H) ✓ Maximum door width (mm): 1100 ✓ Minimum door thickness (mm): 40-44 ✓ Maximum angle or opening: 120° ✓ Hold open: 90° ✓ Door weight (kg): 130 ✓ Material: aluminum ✓ Finish: silver ✓ Fire rated: 60 minutes ✓ Certifire approved CF 242 ✓ EN 1154	set	1	\$472.50
Guide rail 	Geze Guide Rail ✓ Dimension (mm): 440(L) x 20(W) x 12(H) ✓ For door closer Boxer ✓ Maximum angle or opening: 120° ✓ Hold open: 90° ✓ Material: aluminum ✓ Finish: silver	pc	1	\$107.25
TS 5000 L  	Geze TS 5000 L Overhead Door Closer with Guide Rail ✓ Dimension (mm): 287(L) x 47(W) x 60(H) ✓ Maximum door width (mm): 1400 ✓ Maximum angle or opening: 180° ✓ Door weight (kg): 120 ✓ Material: aluminum ✓ Finish: silver ✓ Fire rated: 2 hours ✓ Certifire approved CF 145 ✓ EN 1154	set	1	\$595.50
Guide rail 	Geze Guide Rail ✓ Dimension (mm): 448.5(L) x 30.5(W) x 20.5(H) ✓ For door closer TS 5000 L ✓ Maximum angle or opening: 180° ✓ Hold open: 90° ✓ Material: aluminum ✓ Finish: Silver	pc	1	\$93.00

Product	Specification	Unit	Qty.	Price (USD)
TS 3000 V  	Geze TS 3000 V Door Closer with Sliding Arm ✓ Dimension (mm): 226(L) x 46(W) x 60(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 1100 ✓ Maximum angle or opening: 180° ✓ Door weight (kg): 80 ✓ Material: aluminum ✓ Finish: silver ✓ Fire rated: 2 hours ✓ Certifire approved CF 145 ✓ EN 1154	set	1	\$438.00
TS 2000 NV  	Geze TS 2000 NV Door Closer with Variable Closing ✓ Dimension (mm): 226(L) x 48(W) x 60(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 1100 ✓ Hold-open range 70°-150° ✓ Maximum door weight (kg): 80 ✓ Material: aluminum ✓ Finish: silver ✓ Fire rated: 2 hours ✓ Certifire approved CF 145 ✓ EN 1154	set	1	\$211.50
Arm 	Geze Arm ✓ Dimension (mm): 330(L) x 55(W) x 42(H) ✓ For door closer TS 4000 - TS 2000 V ✓ Maximum angle or opening: 150° ✓ Hold open: 90° ✓ Material: aluminum ✓ Finish: silver	pc	1	\$42.75
TS 1000 C  	Geze TS 1000 C Overhead Door Closer ✓ Dimension (mm): 215(L) x 44(W) x 52(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 950 ✓ Maximum angle or opening: 120° ✓ Maximum door weight (kg): 60 ✓ Material: aluminum ✓ Finish: silver ✓ Fire rated: 2 hours ✓ EN 1154	set	1	\$117.00

Product	Specification	Unit	Qty.	Price (USD)
4031  	LCN 4031 NHO Heavy Duty Door Closer ✓ Dimension (mm): 264(L) x 44(W) x 19(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 914 - 1219 ✓ Maximum angle or opening: 180° ✓ Hold open: non ✓ Door weight (kg): 80-100 ✓ Material: aluminum ✓ Finish: silver ✓ UL & cUL Listed ✓ ANSI/BHMA Standard A156.4, grade 1 ✓ Tested to 1,500,000 cycles	set	1	\$459.00
IC5120  	Lockwood IC5120 Concealed Door Closer ✓ Dimension (mm): 254(L) x 79(W) x 32(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 1100 ✓ Minimum door thickness (mm): 40-45 ✓ Maximum angle or opening: 120° ✓ Door weight (kg): 65-80 ✓ Material: aluminum ✓ Finish: silver ✓ Fire rated: 2 hours ✓ PSB No.54S0/LGJ, 400,000 cycle test ✓ EN 1154	set	1	\$565.50
3024  	Lockwood 3024 NHO Door Closer ✓ Dimension (mm): 207(L) x 68(W) x 40(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 1100 ✓ Maximum angle or opening: 150° ✓ Hold open: non ✓ Door weight (kg): 80 ✓ Material: aluminum ✓ Finish: silver ✓ Fire rated: 4 hours	set	1	\$387.00
450 series  	TEXXON 450 series Concealed Door Closer ✓ Dimension (mm): 230(L) x 57(W) x 30(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 850-1100 ✓ Minimum door thickness (mm): 40-45 ✓ Maximum angle or opening: 120° ✓ Hold open: 90° ✓ Door weight (kg): 45-80 ✓ Material: aluminum ✓ Finish: silver ✓ Fire rated: 2 hours ✓ PSB No.54S0/LGJ, 500,000 cycles test ✓ EN 1154	set	1	\$87.00


Product	Specification	Unit	Qty.	Price (USD)
450 series  	TEXXON 450 series Concealed Door Closer ✓ Dimension (mm): 230(L) x 57(W) x 30(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 850-1100 ✓ Minimum door thickness (mm): 40-45 ✓ Maximum angle or opening: 120° ✓ Hold open: 90° ✓ Door weight (kg): 45-80 ✓ Material: aluminum ✓ Finish: silver ✓ Fire rated: 2 hours ✓ PSB No.54S0/LGJ, 500,000 cycles test ✓ EN 1154	set	1	\$87.00
970 series  	TEXXON 970 series NHO Door Closer ✓ Dimension (mm): 248(L) x 67(W) x 73(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 1200 ✓ Maximum angle or opening: 120° ✓ Hold open: non ✓ Door weight (kg): 15-85 ✓ Material: aluminum ✓ Finish: silver ✓ UL and CUL listed; UL10C 3 hours fire rating ✓ ANSI/BHMA Standard A156.4, grade 1 ✓ Tested to 1,500,000 cycles	set	1	\$64.50
Hold open arm 	TEXXON Hold Open Arm ✓ Dimension (mm): 240(L) x 70(W) x 20(H) ✓ For door closer 970 ✓ Hold open: 90° ✓ Material: aluminum ✓ Finish: silver	set	1	\$33.75
960 series  	TEXXON 960 series NHO Door Closer ✓ Dimension (mm): 324(L) x 45(W) x 56(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 1200 ✓ Maximum angle or opening: 180° ✓ Hold open: non ✓ Door weight (kg): 120-150 ✓ Material: aluminum ✓ Finish: silver ✓ UL and CUL listed; UL10C 3 hours fire rating ✓ ANSI/BHMA Standard A156.4, grade 1 ✓ Tested to 1,500,000 cycles	set	1	\$145.50

Product	Specification	Unit	Qty.	Price (USD)
Hold open arm 	TEXXON Hold Open Arm ✓ Dimension (mm): 240(L) x 70(W) x 20(H) ✓ For door closer 960 ✓ Hold open: 90° ✓ Material: aluminum ✓ Finish: silver	set	1	\$36.00
83-C-SP 	TEXXON 83-C-SP Cover ✓ Dimension (mm): 330(L) x 75(W) x 55(H) ✓ For door closer 960 ✓ Material: slim plastic ✓ Finish: silver	set	1	\$8.85
990 series     	TEXXON 990 series Door Closer ✓ Dimension (mm): 236(L) x 60(W) x 38.5(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 1400 ✓ Maximum angle or opening: 180° ✓ Hold open: non ✓ Door weight (kg): 100-150 ✓ Material: aluminum ✓ Finish: silver ✓ Fire rated: 2 hours ✓ PSB No.54S044478/LGJ & 54S042157/LGJ ✓ EN 1154, UL	set	1	\$145.50
990 series     	TEXXON 990 series Door Closer ✓ Dimension (mm): 207(L) x 55(W) x 40(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 1100 ✓ Maximum angle or opening: 180° ✓ Hold open: non ✓ Door weight (kg): 60-80 ✓ Material: aluminum ✓ Finish: silver ✓ Fire rated: 2 hours ✓ PSB No.54S044478/LGJ & 54S042157/LGJ ✓ EN 1154, UL	set	1	\$64.50

Product	Specification	Unit	Qty.	Price (USD)
99 series   	TEXXON 99 series NHO Door Closer ✓ Dimension (mm): 220(L) x 58(W) x 43(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 1100 ✓ Maximum angle or opening: 180° ✓ Door weight (kg): 45-85 ✓ Material: aluminum ✓ Finish: silver ✓ PSB No.54S044478/LGJ & 54S042157/LGJ ✓ EN 1154	set	1	\$54.00
Hold open arm 	TEXXON Hold Open Arm ✓ Dimension (mm): 265(L) x 20(W) x 25(H) ✓ For door closer 990 & 99 ✓ Hold open: 90° ✓ Material: steel ✓ Finish: silver	set	1	\$31.50
Sliding arm 	TEXXON Sliding Arm ✓ Dimension (mm): 460(L) x 15(W) x 23(H) ✓ For door closer 990 ✓ Hold open: 90° ✓ Material: aluminum ✓ Finish: silver	set	1	\$37.50
Parallel arm 	TEXXON Parallel Arm ✓ Dimension (mm): 90(L) x 64(W) x 20(H) ✓ For all door reverse ✓ Material: steel ✓ Finish: silver	pc	1	\$13.35

Product	Specification	Unit	Qty.	Price (USD)
780 size 4  	TEXXON 780 series NHO Door Closer ✓ Dimension (mm): 204(L) x 71(W) x 42(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 1100 ✓ Maximum angle or opening: 180° ✓ Hold open: non ✓ Door weight (kg): 65-85 ✓ Material: aluminum ✓ Finish: silver ✓ UL and CUL listed, UL10C 3 hours fire rating ✓ Working temperature: 55°C to - 42°C	set	1	\$28.50
Hold open arm 	TEXXON Hold Open Arm ✓ Dimension (mm): 300(L) x 25.5(W) x 35(H) ✓ For door closer 780 size 4 ✓ Hold open: 90° ✓ Material: steel ✓ Finish: silver	set	1	\$19.20
780 size 3  	TEXXON 780 series NHO Door Closer ✓ Dimension (mm): 178(L) x 62(W) x 39(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 950 ✓ Maximum angle or opening: 180° ✓ Door weight (kg): 45-65 ✓ Material: aluminum ✓ Finish: silver ✓ UL and CUL listed ✓ Working temperature: 55°C to - 42°C	set	1	\$27.00
Hold open arm 	TEXXON Hold Open Arm ✓ Dimension (mm): 240(L) x 23.5(W) x 35(H) ✓ For door closer 780 size 3 ✓ Hold open: 90° ✓ Material: steel ✓ Finish: silver	set	1	\$17.70

Product	Specification	Unit	Qty.	Price (USD)
983 AS  	Top one 983 AS NHO Door Closer ✓ Dimension (mm): 310(L) x 55(W) x 40(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 950 ✓ Maximum angle or opening: 180° ✓ Hold open: non ✓ Door weight (kg): 65 ✓ Material: aluminum ✓ Finish: silver ✓ UL and CUL listed; UL10C 3 hours fire rating ✓ UL list 500,000 times cycle 	set	1	\$74.25
512  	Prima 512 HO Door Closer ✓ Dimension (mm): 194(L) x 41(W) x 61(H) ✓ For steel & wooden door ✓ Maximum door width (mm): 850 ✓ Maximum angle or opening: 90° ✓ Hold open: 90° ✓ Door weight (kg): 45 ✓ Material: aluminum ✓ Finish: silver ✓ UL 1740 	set	1	\$36.00



Product	Specification	Unit	Qty.	Price (USD)
9875-NL-F  	Von Duprin 9875-NL-F Mortise Lock Device ✓ Dimension (mm): 203(L) x 1041(W) x 60(H) ✓ For exit door ✓ Trim functions: night latch ✓ Material: steel ✓ Finish: satin chrome ✓ Fire rated: 3 hours ✓ ANSI/BHMA A156.3 2014, Grade 1	set	1	\$2,197.50
9875-L-F  	Von Duprin 9875-NL-F Mortise Lock Device ✓ Dimension (mm): 203(L) x 1041(W) x 60(H) ✓ For exit door ✓ Trim functions: lever (classroom) ✓ Material: steel ✓ Finish: satin chrome ✓ Fire rated: 3 hours ✓ ANSI/BHMA A156.3 2014, Grade 1	set	1	\$2,803.50
9827-EO-F  	Von Duprin 9827-EO-F Surface Mounted Vertical Rod Device ✓ Dimension (mm): 203(L) x 1041(W) x 60(H) ✓ Vertical rods(mm): 2500 ✓ For exit door ✓ Trim functions: exit only ✓ Material: steel ✓ Finish: satin chrome ✓ Fire rated: 3 hours ✓ ANSI/BHMA A156.3 2014, Grade 1	set	1	\$1,594.50
9827-EO-F  	Von Duprin 9827-EO-F Surface Mounted Vertical Rod Device ✓ Dimension (mm): 203(L) x 1041(W) x 60(H) ✓ Vertical rods(mm): 2800 ✓ For exit door ✓ Trim functions: exit only ✓ Material: steel ✓ Finish: satin chrome ✓ Fire rated: 3 hours ✓ ANSI/BHMA A156.3 2014, Grade 1	set	1	\$1,789.50

Product	Specification	Unit	Qty.	Price (USD)
996L  	Von Duprin 996L Outside for Panic Bar ✓ Dimension (mm): 325(L) x 32(W) x 45(H) ✓ For exit door ✓ Material: Steel ✓ Finish: satin chrome ✓ Fire rated: 3 hours ✓ ANSI/BHMA A156.3 2014, Grade 1	set	1	\$1,387.52
377E  	Briton 377E Double Rebated Door Panic Set ✓ Dimension (mm): 165(L) x 1300(W) x 99(H) ✓ Vertical rods(mm): 2400 ✓ For exit door ✓ Material: steel and zinc ✓ Finish: Silver ✓ Fire rated: 2 hour timber fire doors, 4 hour steel fire doors ✓ EN 1125, CE ✓ Certified approved CF392	set	1	\$745.50
1413E  	Briton 1413E Outside Lever Handle ✓ Dimension (mm): 175(L) x 55(W) x 81(H) ✓ For exit door ✓ Material: zinc die cast chassis and lever ✓ Finish: silver enamel ✓ Fire rated: 2 hour timber fire doors, 4 hour steel fire doors ✓ EN 1125, CE ✓ Certified approved CF392	set	1	\$459.00
294  	Exidor 294 Single Panic Bolt ✓ Dimension (mm): 174(L) x 1000(W) x 98(H) ✓ Vertical rods(mm): 2400 ✓ For exit door ✓ Material: steel ✓ Finish: wine red ✓ Fire rated: 2 hours ✓ EN 1125, CE ✓ Certified approved CF392	set	1	\$169.43


Product	Specification	Unit	Qty.	Price (USD)
296  	Exidor 296 Reversible Panic Latch ✓ Dimension (mm): 174(L) x 1000(W) x 98(H) ✓ For exit door ✓ Material: steel ✓ Finish: silver ✓ Fire rated: 2 hours ✓ EN 1125, CE ✓ Certified approved CF392	set	1	\$149.78
296  	Exidor 296 Reversible Panic Latch ✓ Dimension (mm): 174(L) x 1000(W) x 98(H) ✓ For exit door ✓ Material: steel ✓ Finish: wine red ✓ Fire rated: 2 hours ✓ EN 1125, CE ✓ Certified approved CF392	set	1	\$149.78
285  	Exidor 285 Rebated Double Door ✓ Dimension (mm): 174(L) x 1000(W) x 98(H) ✓ Vertical rods(mm): 2400 ✓ For exit door ✓ Material: steel ✓ Finish: silver ✓ Fire rated: 2 hours ✓ EN 1125, CE ✓ Certified approved CF392	set	1	\$318.45
305  	Exidor 305 Panic Mortice Actuator with Cylinder Mortice Night Latch ✓ Dimension (mm): 174(L) x 1000(W) x 98(H) ✓ For exit door ✓ Material: steel ✓ Finish: silver ✓ Fire rated: 2 hours ✓ EN 1125, CE ✓ Certified approved CF392	set	1	\$301.50

Product	Specification	Unit	Qty.	Price (USD)
400  	Exidor 400 Touch Bar Deadlocking Latch ✓ Dimension (mm): 79(L) x 900(W) x 61(H) ✓ For exit door ✓ Material: steel ✓ Finish: silver ✓ Fire rated: 2 hours ✓ EN 1125, CE ✓ Certified approved CF392	set	1	\$273.00
401  	Exidor 401 Touch Bar Deadlocking Latch ✓ Dimension (mm): 79(L) x 1200(W) x 61(H) ✓ For exit door ✓ Material: steel ✓ Finish: silver ✓ Fire rated: 2 hours ✓ EN 1125, CE ✓ Certified approved CF392	set	1	\$299.25
402  	Exidor 402 Touch Bar 2 Point Locking with Vertical Pullman Latches ✓ Dimension (mm): 79(L) x 900(W) x 61(H) ✓ Vertical rods(mm): 2400 ✓ For exit door ✓ Material: steel ✓ Finish: silver ✓ Fire rated: 2 hours ✓ EN 1125, CE ✓ Certified approved CF392	set	1	\$390.00
403  	Exidor 403 Touch Bar 2 Point Locking with Vertical Pullman Latches ✓ Dimension (mm): 79(L) x 1200(W) x 61(H) ✓ Vertical rods(mm): 2400 ✓ For exit door ✓ Material: Steel ✓ Finish: silver ✓ Fire rated: 2 hours ✓ EN 1125, CE ✓ Certified approved CF392	set	1	\$417.00

Product	Specification	Unit	Qty.	Price (USD)
322EA  	Exidor 322EA Outside for Panic Bar ✓ Dimension (mm): 175(L) x 60(W) x 45(H) ✓ For exit door ✓ Material: Steel ✓ Finish: Silver ✓ Fire rated: 2 hours ✓ EN 1125, CE ✓ Certified approved CF392	set	1	\$189.00
UL3-7570  	TEXXON UL3-7570 Reversible Panic Latch ✓ Dimension (mm): 152(L) x 842(W) x 63(H) ✓ For exit door ✓ Material: Steel ✓ Finish: satin stainless steel ✓ Fire rated: 3 hours ✓ ANSI/BHMA A156.3, Grade 1 ✓ UL Listed for fire exit hardware	set	1	\$169.43
UL3-7770  	TEXXON UL3-7770 Single Panic Bolt ✓ Dimension (mm): 152(L) x 842(W) x 63(H) ✓ Vertical rods(mm): 2400 ✓ For exit door ✓ Material: steel ✓ Finish: satin stainless steel ✓ Fire rated: 3 hours ✓ ANSI/BHMA A156.3, Grade 1 ✓ UL Listed for fire exit hardware	set	1	\$249.00
UL3-54EL ESC  	TEXXON UL3-54EL ESC Outside for Panic Bar ✓ Dimension (mm): 215(L) x 70(W) x 62(H) ✓ For panic bar UL3-7570 ✓ Material: Steel ✓ Finish: satin chrome ✓ Fire rated: 3 hours ✓ ANSI/BHMA A156.3, Grade 1 ✓ UL Listed for fire exit hardware	set	1	\$94.50

Product	Specification	Unit	Qty.	Price (USD)
UL500S  	TEXXON UL500P Reversible Panic Latch ✓ Dimension (mm): 154(L) x 1045(W) x 45(H) ✓ For exit door ✓ Material: steel ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours ✓ EN 1125, EN179, CE ✓ UL Listed for fire exit hardware 	set	1	\$147.00
UL500P  	TEXXON UL500P Reversible Panic Latch ✓ Dimension (mm): 154(L) x 1045(W) x 45(H) ✓ For exit door ✓ Material: steel ✓ Finish: painted ✓ Fire rated: 2 hours ✓ EN 1125, EN179, CE ✓ UL Listed for fire exit hardware 	set	1	\$95.25
UL560P  	TEXXON UL560P Single Panic Bolt ✓ Dimension (mm): 154(L) x 1045(W) x 45(H) ✓ Vertical rods(mm): 2400 ✓ For exit door ✓ Material: steel ✓ Finish: painted ✓ Fire rated: 2 hours ✓ EN 1125, EN179, CE ✓ UL Listed for fire exit hardware 	set	1	\$156.00
ESC650  	TEXXON ESC650 Outside for Panic Bar ✓ Dimension (mm): 154(L) x 1045(W) x 45(H) ✓ For exit door ✓ Material: Steel ✓ Finish: satin chrome ✓ Fire rated: 3 hours ✓ ANSI/BHMA A156.3, Grade 1 ✓ UL Listed for fire exit hardware	set	1	\$127.50


Product	Specification	Unit	Qty.	Price (USD)
#004  	Top one #004 Pull Ring ✓ Dimension (mm): 44(L) x 75(W) x 1.5(H) ✓ For exit door ✓ Material: steel ✓ Finish: zinc alloy ✓ Fire rated: 2 hours ✓ EN 1125, EN179, CE ✓ UL Listed for fire exit hardware 	set	1	\$10.50
#006  	TEXXON #006 Outside for Panic Bar ✓ Dimension (mm): 90(L) x 134(W) x 74(H) ✓ For exit door ✓ Material: steel ✓ Finish: satin stainless steel ✓ Fire rated: 2 hours ✓ EN 1125, EN179, CE ✓ UL Listed for fire exit hardware 	set	1	\$70.50



Product	Specification	Unit	Qty.	Price (USD)
7468 	Fix-o-moll 7468 Weather Strips ✓ Dimension (mm): 1000(L) x 10(W) x 46(H) ✓ For steel & wooden door ✓ For swing door ✓ Material: nylon ✓ Finish: black	bar	1	\$18.75
SQ-50 	GCC SQ-50 Weather Strips ✓ Dimension (mm): 25(H) ✓ For glass door ✓ For sliding door ✓ Material: nylon ✓ Finish: black ✓ Fix in DR-102 door rail ✓ To keep dust out and air-condition inside	meter	1	\$8.25
RS-1550 B 	GCC RS-1550 B Rubber Seal ✓ Dimension (mm): 15 ✓ For glass door ✓ For folding & stacking door ✓ Material: pvc ✓ Finish: black ✓ Fix in DR-102 door rail ✓ To keep dust out and air-condition inside	meter	1	\$2.55
RS-2550 B 	GCC RS-2550B Rubber Seal ✓ Dimension (mm): 25 ✓ For glass door ✓ For folding & stacking door ✓ Material: pvc ✓ Finish: black ✓ Fix in DR-102 door rail ✓ To keep dust out and air-condition inside	meter	1	\$3.75

Product	Specification	Unit	Qty.	Price (USD)
P10 HJ 	GCC P10 HJ "H" Jamb ✓ Dimension (mm): 3000 ✓ For glass door ✓ Material: pvc ✓ For 180° glass to glass ✓ Glass thickness (mm): 10 ✓ Material: pvc	bar	1	\$9.75
P10 BS 	GCC P10 BS Bubble Seal ✓ Dimension (mm): 2200 ✓ For glass door ✓ Material: pvc ✓ Glass thickness (mm): 10 ✓ Snap on the base of the door as a seal ✓ Snap on overlapping bi-fold door as s seal	bar	1	\$11.55
P12 HJ 	GCC P12 HJ "H" Jamb ✓ Dimension (mm): 3000 ✓ For glass door ✓ Material: pvc ✓ For 180° glass to glass ✓ Glass thickness (mm): 12 ✓ Material: pvc	bar	1	\$11.25
P12 BS 	GCC P12 BS Bubble Seal ✓ Dimension (mm): 2200 ✓ For glass door ✓ Material: pvc ✓ Glass thickness (mm): 12 ✓ Snap on the base of the door as a seal ✓ Snap on overlapping bi-fold door as s seal	bar	1	\$13.05

Product	Specification	Unit	Qty.	Price (USD)
PU12 BS 	GCC PU12 BS "U" Jamb ✓ Dimension (mm): 3000 ✓ For glass door ✓ For folding & stacking door ✓ Glass thickness (mm): 12 ✓ Material: pvc	bar	1	\$15.75
IS8010si 	Kilargo IS8010si Automatic Door Bottom ✓ Dimension (mm): 530(L) x 14(W) x 35(H) ✓ For wooden door ✓ Maximum gap (mm): 15 ✓ Material: aluminium ✓ Finish: silver ✓ Fire tested to AS1530 ✓ Medium temperature smoke leakage tests to AS1530, available on proprietary door assemblies ✓ Conforms to BCA specification C3.4 for smoke doors ✓ Acoustic ratings to AS1191 and ISO140.3 ✓ Durability tests demonstrating over 1,000,000 cycles	bar	1	\$36.75
IS8010si 	Kilargo IS8010si Automatic Door Bottom ✓ Dimension (mm): 920(L) x 14(W) x 35(H) ✓ For wooden door ✓ Maximum gap (mm): 15 ✓ Material: aluminium ✓ Finish: silver ✓ Fire tested to AS1530 ✓ Medium temperature smoke leakage tests to AS1530, available on proprietary door assemblies ✓ Conforms to BCA specification C3.4 for smoke doors ✓ Acoustic ratings to AS1191 and ISO140.3 ✓ Durability tests demonstrating over 1,000,000 cycles	bar	1	\$51.75
18061 CNB 	Pemko 18061 CNB Astragal and Meeting Stile Gasketing ✓ Dimension (mm): 920(L) x 6.4(W) x 19.1(H) ✓ For steel & wooden door ✓ Material: aluminum ✓ Insert material: nylon brush ✓ Finish: clear anodized aluminum ✓ BHMA A156.22 ✓ Smoke tested UL1784 ✓ Fire rated UL10C positive pressure ✓ Underwriters laboratory 4L10 ✓ Green guard gold certified	bar	1	\$29.85




Product	Specification	Unit	Qty.	Price (USD)
211 APK  	Pemko 211 APK Door Shoes ✓ Dimension (mm): 1220(L) x 30.2(W) x 28.6(H) ✓ For steel & wooden door ✓ Material: aluminium ✓ Finish: aluminium with gray pemko prene insert ✓ Smoke tested UL1784 ✓ Fire rated UL10C positive pressure ✓ Underwriters laboratory 4L10 ✓ Green guard gold certified	bar	1	\$49.50
305 DN  	Pemko 305 DN Astragal and Meeting Stile Gasketing ✓ Dimension (mm): 1200(L) x 22.2(W) x 4.8(H) ✓ For steel, wooden & plastic covered composite door ✓ Material: aluminum ✓ Finish: dark bronze anodized aluminum with black insert, EPDM ✓ Air infiltration tested ✓ Smoke tested UL1784 ✓ Fire rated UL10C positive pressure ✓ Underwriters laboratory 4L10 ✓ Green guard gold certified	bar	1	\$55.50
312 CR  	Pemko 312 CR Standard Perimeter Gasketing ✓ Dimension (mm): 2100(L) x 19.1(W) x 6.4(H) ✓ For steel & wooden door ✓ Material: clear anodized aluminum ✓ Finish: clear anodized aluminum with black sponge EPDM ✓ Air infiltration tested ✓ Sound tested ASTM E90 ✓ BHMA certified ✓ Smoke tested UL1784 ✓ Fire rated UL10C positive pressure ✓ Underwriters laboratory 4L10 ✓ Green guard gold certified	bar	1	\$57.00
411 ARL  	Pemko 411 ARL Automatic Door Bottom ✓ Dimension (mm): 920(L) x 14.3(W) x 34.9(H) ✓ For steel & wooden door ✓ Maximum gap (mm): 12.7 ✓ Material: aluminum ✓ Finish: aluminum with black sponge EPDM insert ✓ Air infiltration tested ✓ Sound tested ASTM E90 ✓ BHMA certified ✓ Smoke tested UL1784 ✓ Fire rated UL10C positive pressure ✓ Underwriters laboratory 4L10 ✓ Green guard gold certified	bar	1	\$96.00





Product	Specification	Unit	Qty.	Price (USD)
4131 CRL   	Pemko 4131 CRL Automatic Door Bottom ✓ Dimension (mm): 920(L) x 14.3(W) x 47.6(H) ✓ For wooden door ✓ Maximum gap (mm): 12.7 ✓ Material: aluminum ✓ Finish: aluminum with black sponge EPDM insert ✓ Air infiltration tested ✓ Sound tested ASTM E90 ✓ BHMA certified ✓ Smoke tested UL1784 ✓ Fire rated UL10C positive pressure ✓ Underwriters laboratory 4L10 ✓ Green guard gold certified	bar	1	\$117.00
PK55   	Pemko PK55 Bubble Seal ✓ Dimension (mm): 12.7(W) x 4.8(H) ✓ For steel & wooden door ✓ Material: pemkprene ✓ Finish: black ✓ Air infiltration tested ✓ Sound tested ASTM E90 ✓ BHMA certified ✓ Smoke tested UL1784 ✓ Fire rated UL10C positive pressure ✓ Underwriters laboratory 4L10 ✓ Green guard gold certified	meter	1	\$7.34
8500   	TEXXON Pyroplex 8500 Fire Seal ✓ Dimension (mm): 2100(L) x 10(W) x 4(H) ✓ For wooden door ✓ Material: pvc ✓ Finish: brown ✓ Fire rating: 30 mins ✓ Certifire CF355 ✓ BS 476 Part 20: 22, BS EN 1634-1 and BS EN 1363-1	bar	1	\$4.20
8600   	TEXXON Pyroplex 8600 Fire Seal ✓ Dimension (mm): 2100(L) x 20(W) x 4(H) ✓ For wooden door ✓ Material: pvc ✓ Finish: brown ✓ Fire rating: 60 mins ✓ Certifire CF355 ✓ BS 476 Part 20: 22, BS EN 1634-1 and BS EN 1363-1	bar	1	\$7.43

Product	Specification	Unit	Qty.	Price (USD)
8610  	TEXXON Pyroplex 8610 Pile with Fin Seal ✓ Dimension (mm): 2100(L) x 20(W) x 4(H) ✓ For wooden door ✓ Material: pvc ✓ Finish: brown ✓ Fire rating: 60 mins ✓ Certifire CF355 ✓ BS 476 Part 20: 22, BS EN 1634-1 and BS EN 1363-1	bar	1	\$11.25
RP8Si  	Raven RP8Si Automatic Door Bottom ✓ Dimension (mm): 380(L) x 14(W) x 34(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminium ✓ Finish: satin clear ✓ NCC BCA Spec. F5.5. Approved to AS 1191, AS 1045 & AS/NZS 1276, BS EN ISO 140.3, NCC BCA Spec. C3.4, AS 1530.4 & AS/NZS 1905.1,..... ✓ 1,000,000 operating cycles	bar	1	\$30.75
RP8Si  	Raven RP8Si Automatic Door Bottom ✓ Dimension (mm): 600(L) x 14(W) x 34(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminium ✓ Finish: satin clear ✓ NCC BCA Spec. F5.5. Approved to AS 1191, AS 1045 & AS/NZS 1276, BS EN ISO 140.3, NCC BCA Spec. C3.4, AS 1530.4 & AS/NZS 1905.1,..... ✓ 1,000,000 operating cycles	bar	1	\$36.75
RP8Si  	Raven RP8Si Automatic Door Bottom ✓ Dimension (mm): 820(L) x 14(W) x 34(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: Aluminium ✓ Finish: satin clear ✓ NCC BCA Spec. F5.5. Approved to AS 1191, AS 1045 & AS/NZS 1276, BS EN ISO 140.3, NCC BCA Spec. C3.4, AS 1530.4 & AS/NZS 1905.1,..... ✓ 1,000,000 operating cycles	bar	1	\$46.50




Product	Specification	Unit	Qty.	Price (USD)
RP8Si 	Raven RP8Si Automatic Door Bottom ✓ Dimension (mm): 920(L) x 14(W) x 34(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminium ✓ Finish: satin clear ✓ NCC BCA Spec. F5.5. Approved to AS 1191, AS 1045 & AS/NZS 1276, BS EN ISO 140.3, NCC BCA Spec. C3.4, AS 1530.4 & AS/NZS 1905.1,..... ✓ 1,000,000 operating cycles	bar	1	\$51.75
RP8Si 	Raven RP8Si Automatic Door Bottom ✓ Dimension (mm): 920(L) x 14(W) x 34(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminium ✓ Finish: bronze ✓ NCC BCA Spec. F5.5. Approved to AS 1191, AS 1045 & AS/NZS 1276, BS EN ISO 140.3, NCC BCA Spec. C3.4, AS 1530.4 & AS/NZS 1905.1,..... ✓ 1,000,000 operating cycles	bar	1	\$56.25
RP8Si 	Raven RP8Si Automatic Door Bottom ✓ Dimension (mm): 1070(L) x 14(W) x 34(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminium ✓ Finish: satin clear ✓ NCC BCA Spec. F5.5. Approved to AS 1191, AS 1045 & AS/NZS 1276, BS EN ISO 140.3, NCC BCA Spec. C3.4, AS 1530.4 & AS/NZS 1905.1,..... ✓ 1,000,000 operating cycles	bar	1	\$57.00
RP8Si 	Raven RP8Si Automatic Door Bottom ✓ Dimension (mm): 1220(L) x 14(W) x 34(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminium ✓ Finish: satin clear ✓ NCC BCA Spec. F5.5. Approved to AS 1191, AS 1045 & AS/NZS 1276, BS EN ISO 140.3, NCC BCA Spec. C3.4, AS 1530.4 & AS/NZS 1905.1,..... ✓ 1,000,000 operating cycles	bar	1	\$63.00




Product	Specification	Unit	Qty.	Price (USD)
RP10  	Raven RP10 Door Frame or Perimeter Seals ✓ Dimension (mm): 500(L) x 20(W) x 16(H) ✓ For steel & wooden door ✓ Maximum gap (mm): 8 ✓ Material: aluminium ✓ Finish: satin clear ✓ AS 1191, AS 1045 & AS/NZS 1276. ✓ BS EN ISO 140.3 ✓ NCC BCA Pt. 3.12.3.3 & J3.4	bar	1	\$33.00
RP10  	Raven RP10 Door Frame or Perimeter Seals ✓ Dimension (mm): 1000(L) x 20(W) x 16(H) ✓ For wooden door ✓ Maximum gap (mm): 8 ✓ Material: aluminium ✓ Finish: satin clear ✓ AS 1191, AS 1045 & AS/NZS 1276. ✓ BS EN ISO 140.3 ✓ NCC BCA Pt. 3.12.3.3 & J3.4	bar	1	\$33.00
RP10  	Raven RP10 Door Frame or Perimeter Seals ✓ Dimension (mm): 1250(L) x 20(W) x 16(H) ✓ For wooden door ✓ Maximum gap (mm): 8 ✓ Material: aluminium ✓ Finish: satin clear ✓ AS 1191, AS 1045 & AS/NZS 1276. ✓ BS EN ISO 140.3 ✓ NCC BCA Pt. 3.12.3.3 & J3.4	bar	1	\$36.76
RP10  	Raven RP10 Door Frame or Perimeter Seals ✓ Dimension (mm): 2500(L) x 20(W) x 16(H) ✓ For wooden door ✓ Maximum gap (mm): 8 ✓ Material: aluminium ✓ Finish: Satin Clear ✓ AS 1191, AS 1045 & AS/NZS 1276. ✓ BS EN ISO 140.3 ✓ NCC BCA Pt. 3.12.3.3 & J3.4	bar	1	\$53.55




Product	Specification	Unit	Qty.	Price (USD)
RP12 	Raven RP12 Door Frame or Perimeter Seals ✓ Dimension (mm): 2500(L) x 39(W) x 22(H) ✓ For wooden door ✓ Maximum gap (mm): 5 ✓ Material: aluminium ✓ Finish: satin clear ✓ NCC BCA Pt. 3.12.3.3 & J3.4	bar	1	\$50.25
RP16Si 	Raven RP16Si Meeting Stile Seals ✓ Dimension (mm): 2250(L) x 24(W) x 22(H) ✓ For wooden door ✓ For double doors ✓ Maximum gap (mm): 8 ✓ Material: aluminium ✓ Finish: satin clear ✓ NCC BCA Sect. F5. 5.AS 1191, AS 1045 & AS/NZS 1276., BS EN ISO 140.3, NCC BCA Spec. C3.4 NZ BC Compliance Doc. C/AS1 6.19.2, AS 1530.7, ISO 5925-1 & EN 1634-3 BS 476, AS 6905 & EN 13501-2 "Sa", "Sm", NCC BCA Pt. 3.12.3.3 & J3.4	bar	1	\$44.70
RP16Si 	Raven RP16Si Meeting Stile Seals ✓ Dimension (mm): 2500(L) x 24(W) x 22(H) ✓ For wooden door ✓ For double doors ✓ Maximum gap (mm): 8 ✓ Material: aluminium ✓ Finish: satin clear ✓ NCC BCA Sect. F5. 5.AS 1191, AS 1045 & AS/NZS 1276., BS EN ISO 140.3, NCC BCA Spec. C3.4 NZ BC Compliance Doc. C/AS1 6.19.2, AS 1530.7, ISO 5925-1 & EN 1634-3 BS 476, AS 6905 & EN 13501-2 "Sa", "Sm", NCC BCA Pt. 3.12.3.3 & J3.4	bar	1	\$50.25
RP35Si 	Raven RP35Si Automatic Door Bottom ✓ Dimension (mm): 380(L) x 14(W) x 47(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminium ✓ Finish: satin clear ✓ BS EN ISO 140.3, BS EN ISO 717.1, BS 2750 & BS 5821, AS 1530.4 & AS/NZS 1905.1., BS 476 Pt. 20 & 22, AS 1530.7, ISO 5925-1 & EN 1634-3,..... ✓ 1,000,000 operating cycles	bar	1	\$30.00





Product	Specification	Unit	Qty.	Price (USD)
RP35Si 	Raven RP35Si Automatic Door Bottom ✓ Dimension (mm): 600(L) x 14(W) x 47(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminum ✓ Finish: satin clear ✓ BS EN ISO 140.3, BS EN ISO 717.1, BS 2750 & BS 5821, AS 1530.4 & AS/NZS 1905.1., BS 476 Pt. 20 & 22, AS 1530.7, ISO 5925-1 & EN 1634-3,..... ✓ 1,000,000 operating cycles	bar	1	\$37.50
RP35Si 	Raven RP35Si Automatic Door Bottom ✓ Dimension (mm): 920(L) x 14(W) x 47(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminum ✓ Finish: satin clear ✓ BS EN ISO 140.3, BS EN ISO 717.1, BS 2750 & BS 5821, AS 1530.4 & AS/NZS 1905.1., BS 476 Pt. 20 & 22, AS 1530.7, ISO 5925-1 & EN 1634-3,..... ✓ 1,000,000 operating cycles	bar	1	\$50.25
RP35Si 	Raven RP35Si Automatic Door Bottom ✓ Dimension (mm): 1070(L) x 14(W) x 47(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminum ✓ Finish: satin clear ✓ BS EN ISO 140.3, BS EN ISO 717.1, BS 2750 & BS 5821, AS 1530.4 & AS/NZS 1905.1., BS 476 Pt. 20 & 22, AS 1530.7, ISO 5925-1 & EN 1634-3,..... ✓ 1,000,000 operating cycles	bar	1	\$57.00
RP35Si 	Raven RP35Si Automatic Door Bottom ✓ Dimension (mm): 1220(L) x 14(W) x 47(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminum ✓ Finish: satin clear ✓ BS EN ISO 140.3, BS EN ISO 717.1, BS 2750 & BS 5821, AS 1530.4 & AS/NZS 1905.1., BS 476 Pt. 20 & 22, AS 1530.7, ISO 5925-1 & EN 1634-3,..... ✓ 1,000,000 operating cycles	bar	1	\$62.25



Product	Specification	Unit	Qty.	Price (USD)
RP38Si 	Raven RP38Si Automatic Door Bottom ✓ Dimension (mm): 450(L) x 26(W) x 70(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminum ✓ Finish: satin clear ✓ NCC BCA Spec. C3.4, AS 1530.4 & AS/NZS 1905.1., Doc. C/AS1 6.19.2 & App. C6.1.1., BS 476 Pt.20 & 22, AS 1530.7, ISO 5925-1 & EN 1634-3..... ✓ 1,000,000 operating cycles	bar	1	\$66.75
RP38Si 	Raven RP38Si Automatic Door Bottom ✓ Dimension (mm): 600(L) x 26(W) x 70(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminum ✓ Finish: satin clear ✓ NCC BCA Spec. C3.4, AS 1530.4 & AS/NZS 1905.1., Doc. C/AS1 6.19.2 & App. C6.1.1., BS 476 Pt.20 & 22, AS 1530.7, ISO 5925-1 & EN 1634-3..... ✓ 1,000,000 operating cycles	bar	1	\$76.50
RP38Si 	Raven RP38Si Automatic Door Bottom ✓ Dimension (mm): 920(L) x 26(W) x 70(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminum ✓ Finish: satin clear ✓ NCC BCA Spec. C3.4, AS 1530.4 & AS/NZS 1905.1., Doc. C/AS1 6.19.2 & App. C6.1.1., BS 476 Pt.20 & 22, AS 1530.7, ISO 5925-1 & EN 1634-3..... ✓ 1,000,000 operating cycles	bar	1	\$99.00
RP38Si 	Raven RP38Si Automatic Door Bottom ✓ Dimension (mm): 1070(L) x 26(W) x 70(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminum ✓ Finish: satin clear ✓ NCC BCA Spec. C3.4, AS 1530.4 & AS/NZS 1905.1., Doc. C/AS1 6.19.2 & App. C6.1.1., BS 476 Pt.20 & 22, AS 1530.7, ISO 5925-1 & EN 1634-3..... ✓ 1,000,000 operating cycles	bar	1	\$113.70


Product	Specification	Unit	Qty.	Price (USD)
RP38Si 	Raven RP38Si Automatic Door Bottom ✓ Dimension (mm): 1220(L) x 26(W) x 70(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminum ✓ Finish: satin clear ✓ NCC BCA Spec. C3.4, AS 1530.4 & AS/NZS 1905.1., Doc. C/AS1 6.19.2 & App. C6.1.1., BS 476 Pt.20 & 22, AS 1530.7, ISO 5925-1 & EN 1634-3..... ✓ 1,000,000 operating cycles	bar	1	\$126.00
RP38Si 	Raven RP38Si Automatic Door Bottom ✓ Dimension (mm): 1500(L) x 26(W) x 70(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminum ✓ Finish: satin clear ✓ NCC BCA Spec. C3.4, AS 1530.4 & AS/NZS 1905.1., Doc. C/AS1 6.19.2 & App. C6.1.1., BS 476 Pt.20 & 22, AS 1530.7, ISO 5925-1 & EN 1634-3..... ✓ 1,000,000 operating cycles	bar	1	\$151.50
RP39 	Raven RP39 Door Frame or Perimeter Seals ✓ Dimension (mm): 2500(L) x 17(W) x 26(H) ✓ For steel & wooden door ✓ For single or double doors, sliding doors and stiles, heads and jambs or bulkhead applications. ✓ Material: aluminum ✓ Finish: satin clear ✓ BS EN 1634-1 & BS 476 Pt. 20 & 22 ✓ NCC BCA Pt. 3.12.3.3 & J3.4	bar	1	\$54.00
RP44Si 	Raven RP44Si Door Frame or Perimeter Seals ✓ Dimension (mm): 1000(L) x 19(W) x 5(H) ✓ For wooden door ✓ For head and jambs on single or double ✓ Maximum gap (mm): 10 ✓ Material: aluminum ✓ Finish: satin clear ✓ NCC BCA Spec. C3.4 Pt. 3.2. ✓ C/AS1 6.19.2(b). ✓ AS 1530.2. ✓ NCC BCA Pt. 3.12.3.3 & J3.4	bar	1	\$19.50

Product	Specification	Unit	Qty.	Price (USD)
RP65 	Raven RP65 Magnetic Meeting Stile Seals ✓ Dimension (mm): 2250(L) x 16(W) x 12(H) ✓ For wooden door ✓ For double swinging doors and sliding door meeting stiles. ✓ Material: aluminum ✓ Finish: satin clear ✓ NCC BCA Pt. 3.12.3.3 & J3.4	bar	1	\$41.25
RP66 	Raven RP66 Threshold Plates ✓ Dimension (mm): 800(L) x 40(W) x 7(H) ✓ For the carpeted sill of interior doors. ✓ Material: aluminum ✓ Finish: satin clear ✓ AUS/NZ: Meets NCC BCA Spec. C3.4 AS 1530.4 & AS/NZS 1905.1 NZ BC Compliance Doc. C/AS1 6.19.2(a) & App. C6.1.1, BS 476 Pt.20 & 22, NCC BCA D3 D3.2, AS 1428.1 and NZ BC Compliance Doc. D1/AS1 1.3.2.	bar	1	\$29.25
RP66 	Raven RP66 Threshold Plates ✓ Dimension (mm): 2000(L) x 40(W) x 7(H) ✓ For the carpeted sill of interior doors. ✓ Material: aluminum ✓ Finish: satin clear ✓ AUS/NZ: Meets NCC BCA Spec. C3.4 AS 1530.4 & AS/NZS 1905.1 NZ BC Compliance Doc. C/AS1 6.19.2(a) & App. C6.1.1, BS 476 Pt.20 & 22, NCC BCA D3 D3.2, AS 1428.1 and NZ BC Compliance Doc. D1/AS1 1.3.2.	bar	1	\$54.00
RP66 	Raven RP66 Threshold Plates ✓ Dimension (mm): 3000(L) x 40(W) x 7(H) ✓ For the carpeted sill of interior doors. ✓ Material: aluminum ✓ Finish: satin clear ✓ AUS/NZ: Meets NCC BCA Spec. C3.4 AS 1530.4 & AS/NZS 1905.1 NZ BC Compliance Doc. C/AS1 6.19.2(a) & App. C6.1.1, BS 476 Pt.20 & 22, NCC BCA D3 D3.2, AS 1428.1 and NZ BC Compliance Doc. D1/AS1 1.3.2.	bar	1	\$81.00

Product	Specification	Unit	Qty.	Price (USD)
RP70 	Raven RP70 Automatic Door Bottom ✓ Dimension (mm): 920(L) x 35(W) x 43(H) ✓ For wooden door ✓ Maximum gap (mm): 13 ✓ Material: aluminum ✓ Finish: satin clear ✓ NCC BCA Spec. F5.5. Approved to AS 1191, AS 1045 & AS/NZS 1276, BS EN ISO140.3., NCC BCA Pt. 3.12.3.3 & J3.4..... ✓ 1,000,000 operating cycles	bar	1	\$89.25
RP74 	Raven RP74 Brush Strip Seals ✓ Dimension (mm): 1000(L) x 7(W) x 20(H) ✓ For wooden door ✓ For single and double or sliding and double acting ✓ Maximum gap (mm): 13 ✓ Material: aluminum ✓ Finish: brown ✓ NCC BCA Pt. 3.12.3.3 & J3.4	bar	1	\$16.50
RP85 	Raven RP85 Perimeter Seals ✓ Dimension (mm): 3000(L) x 17(W) x 29(H) ✓ For steel & wooden door ✓ Maximum gap (mm): 4 ✓ Material: aluminum ✓ Finish: satin clear ✓ AS 1191, AS 1045 & AS/NZS 1276. ✓ BS EN ISO 140.3 ✓ NCC BCA Pt. 3.12.3.3 & J3.4	bar	1	\$123.00
RP95 	Raven RP95 Threshold Plates ✓ Dimension (mm): 1000(L) x 40(W) x 3(H) ✓ For door sill ✓ Material: aluminum ✓ Finish: silver ✓ NCC BCASpec. C3.4 AS 1530.4 & AS/NZS 1905.1.Doc. C/AS1 6.19.2(a) & App. C6.1.1., BS 476 Pt. 20 & 22, NCC BCA D3 D3.2 AS 1428.1NZ BC Compliance Doc. D1/AS1 1.3.2.	bar	1	\$17.25

Product	Specification	Unit	Qty.	Price (USD)
RP120 WLS-DDS 	Raven RP120 WLS-DDS Perimeter Seals ✓ Dimension (mm): 2700(L) x 12(W) x 12(H) ✓ For steel & wooden door ✓ For around rebated frames of single or double doors and windows ✓ Material: Pvc ✓ Finish: black ✓ NCC BCA spec. F5. 5. approved to AS 1191 ✓ Fire AUS/NZ: meets NCC BCA spec. C3.4 for fire & smoke doors. Approved to AS 1530.4 & AS/NZS 1905.1 ✓ UK/EU: conforms to approved document B ✓ Approved on fire rated doors up to FRL & FRR-/240/30 and FD240	set	1	\$30.00
RP120 	Raven RP120 Perimeter Seals ✓ Dimension (mm): 2100(L) x 12(W) x 12(H) ✓ For steel & wooden door ✓ For around rebated frames of single or double doors and windows ✓ Material: Pvc ✓ Finish: black ✓ NCC BCA spec. F5. 5. approved to AS 1191 ✓ Fire AUS/NZ: meets NCC BCA spec. C3.4 for fire & smoke doors. Approved to AS 1530.4 & AS/NZS 1905.1 ✓ UK/EU: conforms to approved document B ✓ Approved on fire rated doors up to FRL & FRR-/240/30 and FD240	bar	1	\$7.65
RP124 	Raven RP124 Perimeter Seals ✓ Dimension (mm): 2100(L) x 24(W) x 12(H) ✓ For steel & wooden door ✓ For around rebated frames of single or double doors and windows ✓ Material: Pvc ✓ Finish: black ✓ NCC BCA spec. F5. 5. approved to AS 1191 ✓ Fire AUS/NZ: meets NCC BCA spec. C3.4 for fire & smoke doors. Approved to AS 1530.4 & AS/NZS 1905.1 ✓ UK/EU: conforms to approved document B ✓ Approved on fire rated doors up to FRL & FRR-/240/30 and FD240	bar	1	\$50.25
RP126Si 	RP126Si Automatic Door Bottom ✓ Dimension (mm): 1500(L) x 20(W) x 65(H) ✓ For wooden door ✓ Maximum gap (mm): 14 ✓ Material: aluminum ✓ Finish: satin clear ✓ NCC BCA Spec. C3.4, AS 1530.4 & AS/NZS 1905.1., doc. C/AS1 6.19.2 & App. C6.1.1., BS 476 Pt.20 & 22, AS 1530.7, ISO 5925-1 & EN 1634-3..... ✓ 1,000,000 operating cycles	bar	1	\$111.00

Product	Specification	Unit	Qty.	Price (USD)
RP127Si 	Raven RP127Si Automatic Door Bottom ✓ Dimension (mm): 920(L) x 29(W) x 40(H) ✓ For wooden door ✓ Maximum gap (mm): 14 ✓ Material: aluminum ✓ Finish: satin clear ✓ NCC BCA Spec. C3.4, AS 1530.4 & AS/NZS 1905.1., doc. C/AS1 6.19.2 & App. C6.1.1., BS 476 Pt.20 & 22, AS 1530.7, ISO 5925-1 & EN 1634-3..... ✓ 1,000,000 operating cycles	bar	1	\$79.50
RP129F 	Raven RP129F Door Bottom ✓ Dimension (mm): 1250(L) x 38(W) x 7(H) ✓ For wooden door ✓ For double butt hinged and centre pivot double acting doors ✓ Maximum gap (mm): 11 ✓ Material: aluminum ✓ Finish: satin clear ✓ NCC BCA Spec. C3.4, NZ BC compliance doc. C/AS1 6.19.2, AS 1530.7, ISO 5925-1 & EN 1634-3,..... ✓ 1,000,000 operating cycles	bar	1	\$48.75
RP530 	Raven RP530 Silicon Weather Stripping ✓ Dimension (mm): 6(L) x 6(W) x 4.5(H) ✓ For wooden door ✓ For door and window frames ✓ Material: silicon rubber ✓ Finish: brown ✓ AS 2047, AS 4055, AS 4420 Pt. 0 to 5 & AS/NZS 1170. BS 5368 & BS 7386. ✓ NCC BCA Pt. 3.12.3.3 & J3.4	meter	1	\$4.05
RP600 	Raven RP600 Silicon Weather Stripping ✓ Dimension (mm): 12(L) x 8(W) x 3.4(H) ✓ For wooden door ✓ For door and window frames ✓ Material: silicon rubber ✓ Finish: brown ✓ AS 2047, AS 4055, AS 4420 Pt. 0 to 5 & AS/NZS 1170. BS 5368 & BS 7386. ✓ NCC BCA Pt. 3.12.3.3 & J3.4	meter	1	\$4.05



Product	Specification	Unit	Qty.	Price (USD)
GTS650-260  	GCC GTS650-260 Floor Hinge HO ✓ Dimension (mm): 97(H) x 275(W) x 40(L) ✓ For glass door ✓ Maximum door width (mm): 950 ✓ Door weight (kg): 80 ✓ Maximum angle or opening: 130° ✓ Hold open: 90° ✓ Material: cover SUS304 ✓ Finish: cover satin stainless steel ✓ Spring strenght/closing force: 20NM ✓ 500,000 opening cycles ✓ PSB No.54S043452/LGJ	set	1	\$149.25
GTS840-360  	GCC GTS840-360 Floor Hinge HO ✓ Dimension (mm): 108(H) x 308(W) x 40(L) ✓ For glass door ✓ Maximum door width (mm): 1200 ✓ Door weight (kg): 100 ✓ Maximum angle or opening: 130° ✓ Hold open: 90° ✓ Material: cover SUS304 ✓ Finish: cover satin brass ✓ Spring strenght/Closing force: 25NM ✓ 500,000 opening cycles	set	1	\$223.50
GTS840-460  	GCC GTS840-460 Floor Hinge HO ✓ Dimension (mm): 108(H) x 308(W) x 40(L) ✓ For glass door ✓ Maximum door width (mm): 1200 ✓ Door weight (kg): 100 ✓ Maximum angle or opening: 130° ✓ Hold open: 90° ✓ Material: cover SUS304 ✓ Finish: cover satin stainless steel ✓ Spring strenght/Closing force: 33NM ✓ 500,000 opening cycles	set	1	\$223.50
9116/7 	GCC 9116/7 Adjustable Top Center ✓ Dimension (mm): 174(H) x 30(W) x 5(L) x $\Phi 12.5$ ✓ For steel, aluminium & wooden door ✓ Material: steel ✓ Finish: cover satin stainless steel	set	1	\$24.00

Product	Specification	Unit	Qty.	Price (USD)
9123 	GCC 9123 Door Strap ✓ Dimension (mm): 170(L) x 24(W) x 20.5(H) ✓ For steel, aluminium & wooden door ✓ Material: steel ✓ Finish: steel	set	1	\$12.01
TS500NV 	Geze TS500NV Floor Hinge HO ✓ Dimension (mm): 278(L) x 105(W) x 42(H) ✓ For glass door ✓ Maximum door width (mm): 1100 ✓ Door weight (kg): 150 ✓ Maximum angle or opening: 170° ✓ Hold open: 90° ✓ Back check: yes ✓ Material: cover SUS304 ✓ Finish: cover satin stainless steel ✓ EN 1154	set	1	\$405.00
TS500NV 	Geze TS500NV Floor Hinge NHO ✓ Dimension (mm): 278(L) x 105(W) x 42(H) ✓ For glass door ✓ Maximum door width (mm): 1100 ✓ Door weight (kg): 150 ✓ Maximum angle or opening: 170° ✓ Hold open: non ✓ Back check: yes ✓ Material: cover SUS304 ✓ Finish: cover satin stainless steel ✓ EN 1154	set	1	\$405.00
8842H90 	Lockwood 8842H90 Floor Hinge HO ✓ Dimension (mm): 306(L) x 130(W) x 40(H) ✓ For glass door ✓ Maximum door width (mm): 1150 ✓ Door weight (kg): 120 ✓ Maximum angle or opening: 130° ✓ Hold open: 90° ✓ Material: cast iron ✓ Finish: cover satin stainless steel	set	1	\$573.00

Product	Specification	Unit	Qty.	Price (USD)
FC-223 	Top one FC-223 Floor Hinge Heavy Duty ✓ Dimension (mm): 275(L) x 94(W) x 40(H) ✓ For glass door ✓ Maximum door width (mm): 1050 ✓ Door weight (kg): 120 ✓ Maximum angle or opening: 130° ✓ Hold open: 90° ✓ Material: cover SUS304 ✓ Finish: cover satin stainless steel ✓ 300,000 opening cycles	set	1	\$187.50
680 size 4  	TEXXON 680 size 4 Floor Hinge NHO ✓ Dimension (mm): 306(L) x 108(W) x 40(H) ✓ For glass door ✓ Maximum door width (mm): 1100 ✓ Door weight (kg): 150 ✓ Maximum angle or opening: 130° ✓ Hold open: non ✓ Material: cover SUS304 ✓ Finish: cover satin stainless steel ✓ Fire rated: 2 hours ✓ PSB No.54S043452/LGJ ✓ CE certification, confirmed to EN 1154 and EN 1634	set	1	\$177.75
KB90°B 	TEXXON KB90°B Shower Hinge Wall to Glass ✓ Dimension (mm): 89(L) x 54(W) x 4(H) ✓ For glass door ✓ Maximum door width (mm): 2 hinges for 800 3 hinges for 900 ✓ Door weight (kg): 2 hinges for 37 3 hinges for 55 ✓ For door thickness (mm): 10-12 ✓ Maximum angle or opening: 90° ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$38.25
KB90°B 	TEXXON KB90°B Shower Hinge Wall to Glass ✓ Dimension (mm): 89(L) x 54(W) x 4(H) ✓ For glass door ✓ Maximum door width (mm): 2 hinges for 800 3 hinges for 900 ✓ Door weight (kg): 2 hinges for 37 3 hinges for 55 ✓ For door thickness (mm): 10-12 ✓ Maximum angle or opening: 90° ✓ Material: SUS304 ✓ Finish: black	pc	1	\$53.25



Product	Specification	Unit	Qty.	Price (USD)
V-511B 	TEXXON V-511B Overpanel Patch Fitting with Angle Connector ✓ Dimension (mm): 164(L) x 51(W) x 32(H) ✓ For glass door ✓ Maximum door width (mm): 900 ✓ Door weight (kg): 55 ✓ For door thickness (mm): 10-12 ✓ Maximum angle or opening: 90° ✓ Material: SUS304 ✓ Finish: satin stainless steel	set	1	\$44.25
V-211B 	TEXXON V-211B Overpanel Patch Fitting ✓ Dimension (mm): 164(L) x 51(W) x 32(H) ✓ For glass door ✓ Maximum door width (mm): 900 ✓ Door weight (kg): 55 ✓ For door thickness (mm): 10-12 ✓ Maximum angle or opening: 90° ✓ Material: SUS304 ✓ Finish: satin stainless steel	set	1	\$41.25
V-400B 	TEXXON V-400B Overpanel and Side Patch Fitting ✓ Dimension (mm): 220(L) x 107(W) x 32(H) ✓ For glass door ✓ Maximum door width (mm): 900 ✓ Door weight (kg): 55 ✓ For door thickness (mm): 10-12 ✓ Maximum angle or opening: 90° ✓ Material: SUS304 ✓ Finish: satin stainless steel	set	1	\$54.75
V-502C 	TEXXON V-502C Top Pivot ✓ Dimension (mm): 105(L) x 28(W) x 1.5(H) x Ø15 ✓ For glass door ✓ Maximum door width (mm): 900 ✓ Door weight (kg): 55 ✓ For door thickness (mm): 10-12 ✓ Maximum angle or opening: 90° ✓ Material: SUS304 ✓ Finish: satin stainless steel	pc	1	\$5.25

V-517



TEXXON V-517 Corner Lock

- ✓ Dimension (mm): 164(L) x 51(W) x 32(H)
- ✓ For glass door
- ✓ Maximum door width (mm): 900
- ✓ Door weight (kg): 55
- ✓ For door thickness (mm): 10-12
- ✓ Maximum angle or opening: 90°
- ✓ Material: SUS304
- ✓ Finish: satin stainless steel

set	1	\$55.50
-----	---	---------

HB004 

TEXXON HB004 Door Handle

- ✓ Dimension (mm): 600(L) x 75(W) x Ø32
- ✓ Distance (mm): 400
- ✓ For door thickness (mm): 8-12
- ✓ For glass door
- ✓ Material: SUS304
- ✓ Finish: satin stainless steel

pair	1	\$71.25
------	---	---------

HB004



TEXXON HB004 Door Handle

- ✓ Dimension (mm): 800(L) x 75(W) x Ø32
- ✓ Distance (mm): 600
- ✓ For door thickness (mm): 8-12
- ✓ For glass door
- ✓ Material: SUS304
- ✓ Finish: satin stainless steel

pair	1	\$79.50
------	---	---------

HB006 

TEXXON HB006 Bathroom Handle


- ✓ Dimension (mm): 500(L) x 60(W) x Ø19
300(L) x 60(W) x Ø19
- ✓ For door thickness (mm): 8-12
- ✓ For glass door
- ✓ Material: SUS304
- ✓ Finish: satin stainless steel





pair	1	\$53.25
------	---	---------





\$53.25


Product	Specification	Unit	Qty.	Price (USD)
HB015 	TEXXON HB015 Door Handle ✓ Dimension (mm): 800(L) x 75(W) ✓ Diameter (mm): 25 x 25 ✓ Distance (mm): 500 ✓ For door thickness (mm): 8-12 ✓ For glass door ✓ Material: SUS304 ✓ Finish: satin brass	pair	1	\$197.25
HB016 	TEXXON HB016 Door Handle ✓ Dimension (mm): 625(L) x 75(W) ✓ Diameter (mm): 25 x 25 ✓ Distance (mm): 600 ✓ For door thickness (mm): 8-12 ✓ For glass door ✓ Material: SUS304 ✓ Finish: satin stainless steel	set	1	\$88.50
HB016 	TEXXON HB016 Door Handle ✓ Dimension (mm): 625(L) x 75(W) ✓ Diameter (mm): 25 x 25 ✓ Distance (mm): 600 ✓ For door thickness (mm): 8-12 ✓ For glass door ✓ Material: SUS304 ✓ Finish: satin black	pair	1	\$124.50
HB016 	TEXXON HB016 Door Handle ✓ Dimension (mm): 825(L) x 75(W) ✓ Diameter (mm): 25 x 25 ✓ Distance (mm): 800 ✓ For door thickness (mm): 8-12 ✓ For glass door ✓ Material: SUS304 ✓ Finish: satin stainless steel	pair	1	\$144.00

Product	Specification	Unit	Qty.	Price (USD)
HB016 	TEXXON HB016 Door Handle ✓ Dimension (mm): 825(L) x 75(W) ✓ Diameter (mm): 25 x 25 ✓ Distance (mm): 800 ✓ For door thickness (mm): 8-12 ✓ For glass door ✓ Material: SUS304 ✓ Finish: satin brass	pair	1	\$157.50
HB018 	TEXXON HB018 Bathroom Handle ✓ Dimension (mm): 500(L) x 75(W) 300(L) x 75(W) ✓ Diameter (mm): 25 x 25 ✓ For door thickness (mm): 8-12 ✓ For glass door ✓ Material: SUS304 ✓ Finish: satin brass	pair	1	\$119.25




Product	Specification	Unit	Qty.	Price (USD)
SR80-20/1 	Brio SR80-20/1 Sliding Door System ✓ For steel, wooden and aluminum door ✓ Door weight (kg): 80 ✓ Door height (mm): 3000 ✓ Door thickness (mm): 28-48 ✓ Single leaf ✓ Set including: - 1 aluminum track - 2 rollers - 2 stops - 1 guide	set	1	\$130.17
SR80-20/2 	Brio SR80-20/2 Sliding Door System ✓ For steel, wooden and aluminum door ✓ Door weight (kg): 80 ✓ Door height (mm): 3000 ✓ Door thickness (mm): 28-48 ✓ Double leaf ✓ Set including: - 1 aluminum track - 4 rollers - 4 stops - 2 guides	set	1	\$208.89
SR80-30/1 	Brio SR80-30/1 Sliding Door System ✓ For steel, wooden and aluminum door ✓ Door weight (kg): 80 ✓ Door height (mm): 3000 ✓ Door thickness (mm): 28-48 ✓ Single leaf ✓ Set including: - 1 aluminum track - 2 rollers - 2 stops - 1 guide	set	1	\$140.05
SR80-30/2 	Brio SR80-30/2 Sliding Door System ✓ For steel, wooden and aluminum door ✓ Door weight (kg): 80 ✓ Door height (mm): 3000 ✓ Door thickness (mm): 28-48 ✓ Double leaf ✓ Set including: - 1 aluminum track - 4 rollers - 4 stops - 2 guides	set	1	\$218.77

Product	Specification	Unit	Qty.	Price (USD)
1-12-21 	Coburn Straightaway 100 1-12-21 Sliding Door System ✓ For steel, wooden and aluminum door ✓ Door weight (kg): 100 ✓ Door height (mm): 2500 ✓ Door thickness (mm): 20-50 ✓ Single leaf ✓ Set including: - 1 steel track - 2 rollers - 2 stops - 1 guide	set	1	\$113.33
1-12-21 	Coburn Straightaway 100 1-12-21 Sliding Door System ✓ For steel, wooden and aluminum door ✓ Door weight (kg): 100 ✓ Door height (mm): 2500 ✓ Door thickness (mm): 20-50 ✓ Double leaf ✓ Set including: - 1 steel track - 4 rollers - 4 stops - 2 guides	set	1	\$245.21
1-12-30 	Coburn Straightaway 100 1-12-30 Sliding Door System ✓ For steel, wooden and aluminum door ✓ Door weight (kg): 100 ✓ Door height (mm): 2500 ✓ Door thickness (mm): 20-50 ✓ Single leaf ✓ Set including: - 1 steel track - 2 rollers - 2 stops - 1 guide	set	1	\$131.88
1-12-30 	Coburn Straightaway 100 1-12-30 Sliding Door System ✓ For steel, wooden and aluminum door ✓ Door weight (kg): 100 ✓ Door height (mm): 2500 ✓ Door thickness (mm): 20-50 ✓ Set including: - 1 aluminum track - 4 rollers - 4 stops - 2 guides	set	1	\$263.77

Product	Specification	Unit	Qty.	Price (USD)
Brisa-160 	GCC Brisa-160 Soft Stop Sliding Door System ✓ For glass door ✓ Door weight (kg): 60 ✓ Door dimension (mm): 2400(H) x 1000(W) ✓ Door thickness (mm): 8 - 12 ✓ Set including: - 1 aluminum sliding rail - 2 rollers hanger - 2 stops - 1 floor guide - 1 rail cover	set	1	\$299.07
MA80-240 	Mantion MA80-240 Sliding Door System ✓ For steel, wooden and aluminum door ✓ Door weight (kg): 80 ✓ Single leaf ✓ Set including: - 1 aluminium track drilled every 0.44 m - 2.40 m. long - 2 rollers (with ball bearings and polyamide wheels) - 2 stops - 2 plates 10036 - 1 guide 1103 R - screws and assembly instructions + spirit level	set	1	\$121.14
SAF80 	Mantion SAF80 Sliding Door System ✓ For steel, wooden and aluminum door ✓ Door weight (kg): 80 ✓ Single leaf ✓ Set including: - 1 aluminium double track (reinforced) in length of 2 m - 2 rollers - 2 stops - 1 guide	set	1	\$226.00
66AFP22 	Mantion 66AFP22 Damper Closer ✓ Dimension (mm): 625(L) x 15(W) x 20(H) x Φ14 ✓ For sliding door ✓ Door weight (kg): 80 ✓ Material: nylon ✓ Finish: black, silver	set	1	\$111.98

Product	Specification	Unit	Qty.	Price (USD)
TUB38 	Mantion TUB38 Sliding Cabinets System ✓ For steel, wooden and aluminum door ✓ Door weight (kg): 38 ✓ Single leaf ✓ Set including: - 2 flat fixing mounts - 2 handles - 2 guides - 1 rail in length of 2 m.	set	1	\$44.47
Tango 40-120 	Mantion Tango 40-120 Folding Cabinets System ✓ For steel, wooden and aluminum door ✓ Door weight (kg): 40 ✓ Double leaf ✓ Set including: - 1 aluminium track of 1.20 m (SAF) - 1 SAF hanger (ball bearings) with plate - 1 upper pivot - 1 lower pivot - 3 hinges 1504C3 - Screws and mounting instructions	set	1	\$207.43



Product	Specification	Unit	Qty.	Price (USD)
EM1200-LED 	TEXXON EM1200-LED Electromagnetic Lock ✓ Dimension magnet (mm): 266(L) x 67(W) x 39(H) ✓ Dimension armature (mm): 185(L) x 61(W) x 16.5(H) ✓ Voltage input: 12VDC / 24VDC ✓ Current draw: 12V / 500mA; 24V / 250mA (±5%) ✓ Holding force: up to 1200 lbs (545 kg) ✓ Hall effect contact: SPDT rated 2A at 24VDC ✓ Anti-rust surface treatment: blue zinc plating ✓ Operating temperature: 0~55° C (32~131° F) ✓ Operating humidity: 0~95% (non condensing)	set	1	\$233.85
EM600-LED 	TEXXON EM600-LED Electromagnetic Lock ✓ Dimension magnet (mm): 250(L) x 42(W) x 25(H) ✓ Dimension armature (mm): 180(L) x 38(W) x 11(H) ✓ Voltage input: 12 VDC / 24 VDC ✓ Current draw: 12V / 500mA ; 24V / 250mA (±5%) ✓ Holding force: up to 600 lbs (272 kg) ✓ Hall effect contact: SPDT rated 2A at 24 VDC ✓ Anti-rust surface treatment: blue zinc plating ✓ Operating temperature: 0~55° C (32~131° F) ✓ Operating humidity : 0~95% (non condensing)	set	1	\$116.25
EM600D-LED 	TEXXON EM600D-LED Electromagnetic Lock ✓ Dimension magnet (mm): 500(L) x 42(W) x 25(H) ✓ Dimension armature (mm): 180(L) x 38(W) x 11(H) ✓ Voltage input: 12 VDC / 24 VDC (per magnet) ✓ Current draw: 12V / 500mA ; 24V / 250mA (±5%) ✓ Holding force: up to 600 lbs x2 (272 kg x2) ✓ Hall effect contact: SPDT rated 2A at 24 VDC ✓ Anti-rust surface treatment: blue zinc plating ✓ Operating temperature: 0~55° C (32~131° F) ✓ Operating humidity: 0~95% (non condensing)	set	1	\$224.25
SS-800 	TEXXON SS-800 Electromagnetic Lock ✓ Dimension magnet (mm): 220(L) x 46(W) x 28(H) ✓ Dimension armature (mm): 182(L) x 44(W) x 12(H) ✓ Voltage input: 12 VDC / 24 VDC ✓ Current draw: 12V / 480mA; 24V / 240mA (±5%) ✓ Holding force: up to 800 lbs (362 kg) ✓ Hall effect contact: 28 VDC, 0.2A, 5W ✓ Anti-rust surface treatment: blue zinc plating ✓ Operating temperature: 0~55° C (32~131° F) ✓ Operating humidity: 0~95% (non condensing)	set	1	\$241.13

Product	Specification	Unit	Qty.	Price (USD)
Mortice 300 	TEXXON Mor.300 c/w Mag Ctc Mortice Lock ✓ Dimension magnet (mm): 174(L) x 32(W) x 26(H) ✓ Dimension armature (mm): 130(L) x 33(W) x 11(H) ✓ Voltage input: 12VDC / 24VDC ✓ Current draw: 12V / 300mA; 24V / 150mA (±5%) ✓ Holding force (max): 300 lbs (136 kg) ✓ Dry reed contact (max): 100VDC, 0.25A, 3W ✓ Anti-rust surface treatment: blue zinc plating ✓ Operating temperature: 0~55° C (32~131° F) ✓ Operating humidity: 0~95% (non condensing)	set	1	\$74.25
S210MF 	Elock S210MF Electric Lock ✓ Dimension (mm): 160(L) x 24(W) x 31(H) ✓ Current drawn: 170mA / 12VDC fail-safe type ✓ 12VDC operation ✓ With door status signal feedback / monitored ✓ Operation current 190mA ✓ Face plate: stainless steel ✓ Safety approval: CE	set	1	\$97.50
S230MF 	Elock S230MF Electric Lock ✓ Dimension (mm): 124(L) x 32(W) x 38(H) ✓ Current drawn: 170mA / 12VDC fail-safe type ✓ 12VDC operation ✓ With door status signal feedback / monitored ✓ Operation current 190mA ✓ Face plate: stainless steel ✓ Safety approval: CE	set	1	\$132.00
EB195TG 	TEXXON EB195TG Electric Dropbolts ✓ Dimension (mm): 210(L) x 25(W) x 41(H) ✓ Voltage: 24 VDC ✓ Current draw: pull in 0.9A, holding: 0.3A@12VDC ✓ Operating temperature: -10~+45 ✓ Operating humidity: 0~95% (non condensing) ✓ Face plate material: stainless steel ✓ Tested to 500000 cycles. ✓ Built-in logical circuitry ✓ Auto-relocking Time Delay: 0, 3 ,6 ,9 seconds	set	1	\$357.75

Product	Specification	Unit	Qty.	Price (USD)
DB-100 	TEXXON DB-100 Electric Drop Bolt Lock ✓ Dimension face plate (mm): 205(L) x 35(W) x 40(H) ✓ Dimension strike (mm): 90(L) x 25(W) x 2(H) ✓ Voltage input: 12 VDC ✓ Current draw: 100mA (standby); 1000mA (start) ✓ Locking force: up to 800 kg ✓ Sensor monitor rating: 0.5Amp, 30VAC/VDC max ✓ Gap sensing distance: 8mm ✓ Material: solid s/steel Φ16mm bolt ✓ Operating temperature: 0~55° C (14~131° F) ✓ Operating humidity: 0~90% (non condensing)	set	1	\$102.75
GS200M  	TEXXON GS200M Shear Lock ✓ Dimension (mm): 180(L) x 30(W) x 27(H) ✓ For narrow frames, double swing doors and glass doors ✓ Voltage: 12VDC / 24VDC ✓ Bond sensor indicates door is locked or unlocked ✓ Fail-safe ✓ Holding force (lbs.): 1200 ✓ Door gap (mm): 2 ✓ Mount: mortise, semi-mortise, surface ✓ UL listed: BP9692 ✓ CE: EC3D0909-02	set	1	\$765.00
GS200VGL  	TEXXON GS200VGL Shear Lock ✓ Dimension (mm): 180(L) x 30(W) x 27(H) ✓ For narrow frames, double swing doors and glass doors ✓ Voltage: 12VDC / 24VDC ✓ Bond sensor indicates door is locked or unlocked ✓ Fail-safe ✓ Holding force (lbs.): 1200 ✓ Door gap (mm): 2 ✓ Mount: mortise, semi-mortise, surface ✓ UL listed: BP9692 ✓ CE: EC3D0909-02	set	1	\$1,230.00
SL500 	Elock SL500 Shear Lock ✓ Dimension lock (mm): 182(L) x 30(W) x 25(H) ✓ Dimension armature (mm): 182(L) x 30(W) x 24(H) ✓ Voltage: 12VDC / 24VDC (auto adjust) ✓ Current: 900mA, holding: 220mA @12VDC / 190mA @24VDC ✓ Magnetic distance max (mm): 3@12V / 5@24V ✓ Operation delay time (sec.): 0.5 ~ 25 ✓ Relock function max (times): 60 ✓ Application: all types of 90° ~ 180° door ✓ Maximum holding force: up to 1200kg (2600lbs)	set	1	\$330.75

Product	Specification	Unit	Qty.	Price (USD)
BR-500 	Elock BR-500 Bracket for Shearlock ✓ Dimension (mm): 210(L) x 40(W) x 35(H) ✓ For door frame ✓ Material: aluminium	set	1	\$114.00
UB-500 	Elock UB-500 Bracket for Shearlock ✓ Dimension (mm): 210(L) x 20(W) x 35(H) ✓ For glass door ✓ Door thickness (mm): 14 ✓ Material: stainless steel	set	1	\$106.50
BK-G100 	Elock BK-G100 Bracket for Bolt Action Lock ✓ Dimension (mm): 90(L) x 40(W) x 27(H) ✓ For glass door ✓ Door thickness (mm): 9-12 ✓ Material: stainless steel	set	1	\$89.25
ZL-600 Cover 	TEXXON ZL-600 Cover Bracket ✓ Dimension lock (mm): 250(L) x 30(W) x 46(H) ✓ For swing door ✓ Material: aluminium	set	1	\$78.75

Product	Specification	Unit	Qty.	Price (USD)
ZL-600 	TEXXON ZL-600 Bracket ✓ Dimension (mm): 250(L) x 30(W) x 46(H) ✓ For swing door ✓ Material: aluminium	set	1	\$42.00
DSU-600 	TEXXON DSU-600 Bracket ✓ Dimension (mm): 250(L) x 31.8(W) x 15.5(H) ✓ For glass door ✓ Door thickness (mm): 12 ✓ Material: aluminium	set	1	\$117.00
LS-600 	TEXXON LS-600 Bracket ✓ Dimension (mm): 250(L) x 38.1(W) x 38.1(H) ✓ For swing door ✓ Material: aluminium	set	1	\$29.25
UD-100 	TEXXON UD-100 Bracket ✓ Dimension lock (mm): 205(L) x 58(W) x 46(H) ✓ For glass door ✓ Door thickness (mm): 10-15 ✓ Opening mode: 180° ✓ Material: stainless steel ✓ Certificate: CE-EMC	set	1	\$200.25

Product	Specification	Unit	Qty.	Price (USD)
EMC-1080 	TEXXON EMC-1080 Heavy Duty Magnetic Contact ✓ Dimension (mm): 50(L) x 20(W) x 10(H) ✓ Distance (mm): 42 ✓ Construction: solid aluminum bar ✓ Structure: reed switch bar and magnet bar ✓ Installation: surface mounting	set	1	\$33.75
EMC-1008C 	TEXXON EMC-1008C Mini Magnetic Door Contact ✓ Dimension (mm): 28(L) x 12(W) x 7(H) ✓ Contact rating: 28VDC 0.5A 10W ✓ Distance (mm): 25 ✓ Construction: rhodium over gold reeds ✓ Installation: adhesive tape or mounting screw	set	1	\$11.86
EL-820P 	Elock EL-820P Commercial Metal Contact ✓ Dimension (mm): 51(L) x 19(W) x 9.5(H) ✓ Contact rating:- 100VDC 0.5A 10W ✓ Distance (mm): 38 ✓ Safety approval:- CE ✓ ISO 9000 certified manufacturer	set	1	\$33.00
DEB-11SQ 	TEXXON DEB-11SQ Exit Button ✓ Dimension lock (mm): 76(L) x 23(W) x 14(H) ✓ Current max: 3A @36V DC ✓ Output contacts: N.O/N.C/COM ✓ Working temperature: 10-55°C (14-131F) ✓ Working humidity: 0-95% (non-condensing) ✓ Material: fireproof PVC material panel ✓ Mechanical life: 100,000 times tested	pc	1	\$6.75

Product	Specification	Unit	Qty.	Price (USD)
DEB-31SS 	TEXXON DEB-31SS Exit Button ✓ Dimension (mm): 90(L) x 35(W) x 1(H) ✓ Current: 3A /125-250VAC ✓ Output contact: NO/NC/COM ✓ Operating temperature: -20°C~+55°C (14-131F) ✓ Operating humidity: 0-95% (non-condensing) ✓ Standard structure: stainless steel panel, metal button ✓ Panel material: 1.7mm 304 stainless steel ✓ Mechanical life: 500,000 tested	pc	1	\$47.25
DEB-33SS 	TEXXON DEB-33SS Exit Button ✓ Dimension (mm): 85(L) x 85(W) x 35(H) ✓ Current: 4Amp@125VAC; 2Amp@250VAC ✓ Output contact: NO/NC/COM/LED ✓ Operating temperature: 10-55°C (14-131F) ✓ Operating humidity: 0-95% (non-condensing) ✓ Standard structure: stainless steel panel, metal button ✓ Panel material: 1.8mm 304 stainless steel ✓ Mechanical life: 500,000 tested	pc	1	\$47.25
DEB-33ABS 	TEXXON DEB-33ABS Exit Button ✓ Dimension (mm): 86(L) x 86(W) x 30(H) ✓ Current max: 3A @36V DC ✓ Output contact: N.O/N.C/COM ✓ Operating temperature: 10-55°C (14-131F) ✓ Operating humidity: 0-95% (non-condensing) ✓ Material: fireproof PVC material panel ✓ Mechanical life: 100,000 times tested	pc	1	\$19.20
KS-33 	TEXXON KS-33 Key Switch ✓ Dimension lock (mm): 86(L) x 86(W) x 30(H) ✓ Current max: 4Amp@125VAC; 2Amp@250VAC ✓ Output contacts: N.O/N.C/COM ✓ Working temperature: 10-55°C (14-131F) ✓ Working humidity: 0-95% (non-condensing) ✓ Material: stainless steel grade 304 ✓ Mechanical life: 500,000 times tested	pc	1	\$47.25

Product	Specification	Unit	Qty.	Price (USD)
KS-800 	TEXXON KS-800 Key Switch ✓ Dimension (mm): 85.3(L) x 85.3(W) x 47(H) ✓ Switch rating: 5A/125VAC ✓ Contact: SPDT or DPDT ✓ Switch type: alternate (maintained) ✓ European standard key switch ✓ Key cylinder with keys ✓ Material: stainless steel or metal surface back box	pc	1	\$191.25
E-108E 	TEXXON E-108E Emergency Door Release ✓ Dimension (mm): 89(L) x 89(W) x 54(H) ✓ Current rating: 12/24VDC, 10A; 48VDC, 3D ✓ Output contact: NO/NC/COM ✓ Operating temperature: 30-70°C ✓ Operating humidity: 20-90% (relative humidity) ✓ Color: green ✓ Material: ABS, PC	pc	1	\$26.70
DL-400 	TEXXON DL-400 Door Loop ✓ Dimension (mm): 300(L) x 24(W) x 13(H) ✓ Suitable range: prevent the wire from malicious damage ✓ Standard structure: alloy material, thickened ripple tube ✓ Finish: painted by high temperature	pc	1	\$51.00
DH-1224L 	TEXXON DH-1224L Door Holder ✓ Dimension lock (mm): 140(L) x 110(W) x 8(H) x Ø55 ✓ Voltage input: 12 VDC / 24 VDC ✓ Current draw: 12V / 80mA ; 24V / 40mA (± 5%) ✓ Holding force: up to 110 lbs (50 kg) ✓ Anti-rust surface treatment: blue zinc plating ✓ Operating temperature: 0~55° C (32~131° F) ✓ Operating humidity: 0~95% (non condensing)	set	1	\$122.85

Product	Specification	Unit	Qty.	Price (USD)
TBP-1203 	TEXXON TBP-1203 Power Supply with Battery ✓ Dimension (mm): 226(L) x 226(W) x 84(H) ✓ Input voltage: 220~240 VAC, 50/60Hz ✓ Output voltage: DC12V/3V ✓ Time relay: 0~30 sec ✓ Optional accessories: backup battery, 12V/7H ✓ Output contact: access control, electric lock, release button ✓ Standard design: steel material, painted ✓ Protect safely: short circuit protection ✓ Suitable for: access control, electric lock	set	1	\$184.50
TBP-2403 	TEXXON TBP-2403 Power Supply with Battery ✓ Dimension (mm): 226(L) x 226(W) x 84(H) ✓ Input voltage: 220~240 VAC, 50/60Hz ✓ Output voltage: DC24V/3V ✓ Time relay: 0~30 sec ✓ Optional accessories: backup battery, 12V/7H ✓ Output contact: access control, electric lock, release button ✓ Standard design: steel material, painted ✓ Protect safely: short circuit protection ✓ Suitable for: access control, electric lock	set	1	\$211.50
TBP-2406 	TEXXON TBP-2406 Power Supply with Battery ✓ Dimension (mm): 226(L) x 226(W) x 84(H) ✓ Input voltage: 220~240 VAC, 50/60Hz ✓ Output voltage: DC24V/6V ✓ Time relay: 0~30 sec ✓ Optional accessories: backup battery, 12V/7H ✓ Output contact: access control, electric lock, release button ✓ Standard design: steel material, painted ✓ Protect safely: short circuit protection ✓ Suitable for: access control, electric lock	set	1	\$277.50

